## UNCLASSIFIED

# AD 410451

## DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

AMRL-TDR-63-36

41045

# MOMENTS OF INERTIA AND CENTERS OF GRAVITY OF THE LIVING HUMAN BODY

TECHNICAL DOCUMENTARY REPORT NO

MRJ-TDR-53-36

May 1963

Relian Fral Sciences Laboratory

6570th For space Medical Research Laboratories

Aer Dspace Medical Division

Air Force Systems Command

Wright-Patter on Air Force Base, Ohio

Contract Monitor: Charles E. Clauser Frojekt No. 7184, Task No. 718404 Prepared under Contract No. AF 33(657)-7848 by W. R. Santschi, J. DuBois, and C. Omoto orth American Assistion Inc., Los Angeles, California]

**Best Available Copy** 

CATALOGED BY DDC AS AD NO.





### FOR ERRATA

# AD 410451

THE FOLLOWING PAGES ARE CHANGES

TO BASIC DOCUMENT

#### ERRATA - February 1964

The following corrections apply to Technical Documentary Report No. AMRL-TDR-63-36, Moments of Inertia and Centers of Gravity of the Living Human Body:

#### Page 55

The dimension taken as Biacromial Diameter (paragraph 3) should have been Biclavicular Diameter. Paragraph 3 should be changed to seed:

3. BICLAVICULAR DIAMETER: Subject sits erect, his upper aims hanging at his sides and his forearms extended horizontally. Using the anthropometer, measure the distance between the most lateral points of the clavicles.

The dimensions listed in the data pages as Biacromial Diameter should be renamed accordingly.

Biacromial Diameter (Y) can be approximated from the following regression equation:

Y = 0.415 X + 10.76 Standard error of estimate = ±0.66

Where X = Chest Breadth

All Values are in inches

BEHAVIORAL SCIENCES LABORATORY
AEROSPACE MEDICAL RESEARCH LABORATORIES
AEROSPACE MEDICAL DIVISION
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OHIO

AMRL:TDR:63:36

CATALOGF: BY DDC AS AD NO.


# MOMENTS OF INERTIA AND CENTERS OF GRAVITY OF THE LIVING HUMAN BODY

TECHNICAL DOCUMENTARY REPORT NO. AMRL-TDR-63-36

May 1963

Behavioral Sciences Laboratory
6570th Aerospace Medical Research Laboratories
Aerospace Medical Division
Air Force Systems Command
Wright-Patterson Air Force Base, Ohio

Contract Monitor: Charles E. Clauser Project No. 7184, Task No. 718408



[Prepared under Contract No. AF 33(657)-7848 by W. R. Santschi, J. DuBois, and C. Omoto of North American Aviation, Inc., Los Angeles, California]

410451

#### NOTICES

When US Government drawings, specifications, or other data are used for any purpose other than a definitely related government procurement operation, the government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Qualified requesters may obtain copies from the Defense Documentation Center for Scientific and Technical Information (DDC), Arlington Hall Station, Arlington 12, Virginia. Orders will be expedited if placed through the librarian or other person designated to request documents from DDC (formerly ASTIA).

Do not return this copy. Retain or destroy.

Stock quantities available at Office of Technical Services, Department of Commerce \$1.75.

#### Change of Address

Organizations receiving reports via the 6570th Aerospace Medical Research Laboratories automatic mailing lists should submit the addressograph plate stamp on the report envelope or refer to the code number when corresponding about change of address.

9

1 5	U. Contract AF 33(657)- 7848 II. North American Adation, Inc., Los Angeles, Calif. UNCLASSIFIED	UNCIASSIFIED  IV. Santschi, W. R. DuBois, J. Omoto, G. V. In DDC collection UI. Aval fr Offs: \$1.75
Aerospace Medical Division. 5570th Aerospace Medical Research Laboratories, Wright-Patterson AFB, Ohio Rpt. No. AMRL-TDR-63-36. MOMENTS OF INERTIA AND CENTERS OF GRAVITY OF THE LIVING HUMAN BODY. Final report, May 1963, v + 62 pp, incl illus., tables, 11 refs. Unclassified report	A study was conducted to determine the moments of incrtia and centers of gravity of a sample of 66 living male subjects representative of the Ar Force population in statue and weight. Bight: body positions were investigated: Standing, Arms Over Head; Stread Bagle; Sitting; Forearms Down.	sitting, Thighs Elevated; Mercury Configuration; Relaxed (Weightless). The procedure was based upon the compound pendulum having a theoretical accuracy of approximately \$2\$ to \$8\$ per cent depending upon position and axis. Orthogonal axes, defined as the intersections of the sagittal, frontal, and transverse planes through the standing body, were designated as \$X, \$Y, and \$Z\$. A set of \$0\$ anthropometric dimensions was taken on each subject, as well as photo- graphs of each subject, in each position. Results of the study show that the average moment of inertia varied in this sample from 11 lb. in sec. 2 about the \$Z\$ axis to 152 lb. in sec. 2 about the \$Z\$ axis. Linear regression analysis of moments of inertia vs. #* then coefficients ranging between 0.77 and 0.98
1 1	II. Contract AF 33(657)-7848 II. North American Avlation, Inc., Los Angeles, Calif. UNCLASSIFIED	UNCLASSIFIED  IN. Santschi, W. R. DuBois, J. Omoto, C. V. In DDC collection VI. Aval fr OTS; \$1.75
Aerospace Medical Division 6570th Aerospace Medical Research Laboratories, Wright-Patterson AFB, Ohio Rpt. No. AMRL-TDR-63-36. MOMENTS OF INERTIA AND CENTERS OF GRAVITY OF THE LIVING HUMAN BODY. Final report, May 1963, v + 62 pp, incl illus., tables, 11 refs. Unclassified report	A study was conducted to determine the moments of Inertia and centers of gravity of a sample of 66 living male subjects representative of the Alr Force population in stature and weight. Eight body positions were investigated: Standing, Arms Over Head, Spread Eagle; Sitting, Sitting, Forearms Down.	Mercury Configuration; Relaxed (Weightless). The procedure was based upon the compound pendulum having a theoretical accuracy of approximately ±2 to ±8 per cent sepending upon position and axis. Orthogonal axes, defined as the intersections of the sagittal, frontal, and transverse planes through the standing body, were designated as X, X, and Z. A set of 50 anthropometric dimensions was taken on each subject, as well as photo- graphs of each subject in each position. Results of the study show that the average moment of inertia varied in this sample from 11 lb. in sec. 2 about the Z axis to 152 lb. in sec. 2 about the X axis. Linear regression analysis of moments of inertia vs. # * * stature and weight yielded correla- tion coefficients ranging between 0.75 and 0.98

#### FOREWORD

This study was initiated by the Anthropology Branch, Human Engineering Division, Behavioral Sciences Laboratory, 6570th Aerospace Medical Research Laboratories. The research was conducted by North American Aviation, Inc., Los Angeles 9, California, under the provisions of Contract No. AF 33(657)-7848. Mr. William R. Santschi, Head of the Bioscience Unit, Life Sciences Group, was the principal investigator for North American Aviation, Inc. Mr. J. DuBois, Biophysicist, was responsible for the theoretical aspects of the study. Selection of subjects and anthropometry phases of the study were conducted by Miss Constance Cmoto, Physical Anthropologist. Mr. Charles E. Clauser, of the Anthropology Branch, monitored the contract for the 6570th Aerospace Medical Research Laboratories. The work was performed in support of Project No. 7184, "Human Performance in Advanced Systems," Task No. 718408, "Anthropology for Design." The research sponsored by this contract was initiated in February 1962 and completed in August 1962. This report is cataloged by North American Aviation as NA-62-250.

The authors wish to express appreciation to Mr. H. T. E. Hertzberg, Chief of the Anthropology Branch, for a critical review of the manuscript. Cratitude is also expressed to staff members, Mr. M. N. Goldberg, Mr. D. Walton, and Mr. A. P. Holm, for their assistance in measuring the subjects, and to Mr. F. Mazy, Senior Design Specialist, for the design of the measurement apparatus. The authors are particularly indebted to the NAA-employee subjects whose cooperation in voluntarily submitting to the rigors of measurement made this study possible.

#### ABSTRACT

A study was conducted to determine the moments of inertia and centers of gravity of a sample of 66 living male subjects representative of the Air Force population in stature and weight. Eight body positions were investigated: Standing; Standing, Arms Over Head; Spread Eagle; Sitting; Sitting, Forearms Down; Sitting, Thighs Elevated; Mercury Configuration; Relaxed (Weightless). The procedure was based upon the compound pendulum having a theoretical accuracy of approximately \$2\$ to \$8\$ per cent depending upon position and axis. Orthogonal axes, defined as the intersections of the sagittal, frontal, and transverse planes through the standing body, were designated as X, Y, and Z. A set of 50 anthropometric dimensions was taken on each subject, as well as photographs of each subject in each position. Results of the study show that the average moment of inertia varied in this sample from 11 lb. in sec. about the Z axis to 152 lb. in sec. about the X axis. Linear regression analysis of moments of inertia vs. stature and weight yielded correlation coefficients ranging between 0.77 and 0.98.

#### PUBLICATION REVIEW

This technical documentary report has been reviewed and is approved.

Walter F. Ketter WALTER F. CRETHER

Technical Director

Behavioral Sciences Laboratory

#### TABLE OF CONTENTS

Section		Pag
	Introduction	1
I	Theoretical Considerations	3
II	Description of Apparatus	10
III	Experimental Procedure	13
IV	Results	21.
v	Summary	25
	Bibliography	26
Appendix		
ı	Statistical Data	27
II	Subject Data	33
III	Description of Anthropometric Dimensions	101
IV	Skeletal Anthropometric Points	107
	LIST OF FIGURES	
Figure		
ı	Schematic of Compound Pendulum	4
2	Body Coordinate System	6
3	Reference Landmarks for Location of Center of Gravity	7
4	Body Positions	9
5	Moment-of-Inertia Measurement Apparatus (I Pendulum)	11
6	Moment-of-Inertia Measurement Apparatus (Iox/Ioy Pendulum)	12
7	Scattergram of Statures and Weights of 66 Subjects	13

#### LIST OF FIGURES (Continued)

Figure		Pag
8	Subject Restrained in Positions 1 Through 4 $(I_{OX}/I_{OY} Pendulum)$	17
9	Subject Restrained in Positions 5 Through 8 $(I_{ox}/I_{oy}$ Pendulum)	18
10	Subject Restrained in Positions 1 Through 4 ( $I_{\text{OZ}}$ Pendulum)	19
n	Subject Restrained in Positions 5 Through 8 ( $I_{OZ}$ Pendulum)	20
12	Mean Centers of Gravity	24

#### MOMENTS OF INERTIA AND CENTERS OF GRAVITY

#### OF THE

#### LIVING HUMAN BODY

#### INTRODUCTION

Moments of inertia and centers of gravity of the human body are fundamental parameters which enter into all computations involving body rotation. These computations arise in the analysis of total body motion under conditions of weightlessness, where body rotation of an individual is easily produced by his own action or by external forces; under conditions of acceleration, where the vector does not act through the body center of gravity due to body position or restraint; and, in general, in the design of air or space transport systems where human weight is a significant percentage of vehicle weight.

The purpose of this study is twofold; first, to obtain data on the characteristics of the moment-of-inertia parameter about three axes and for various body positions for a well-defined group of living humans; and, second, to supplement the existing data on the location of the center of gravity of the total human body.

Earlier investigators have used pendulum techniques to obtain data on human body segment moments of inertia and centers of gravity for a small number of cadaver subjects (references 2, 3). In the measurement of living humans, balance techniques have been employed to obtain total body center of gravity (references 8, 10). One investigator has utilized volume contour maps to measure total body center of gravity and moment of inertia, a method which involved assumptions about body cross section and density (reference 11).

The present study makes use of a generalized compound pendulum method in which the only assumption made is mean body density, utilized in computing a small second-order buoyancy correction factor.

#### SECTION I

#### THEORETICAL CONSIDERATIONS

#### METHOD

The technical aspects of the compound pendulum method, upon which this study is based, are treated in detail in reference 4; a brief description is presented here for general background.

The compound or physical pendulum is an elementary dynamic system consisting of an extended mass oscillating about a fixed horisontal axis under the force of gravity. If two parallel axes of oscillation are provided, and certain simplifying assumptions made, it is not difficult to show that the simultaneous solution of the torque equations for the two axes yields expressions for the moment of inertia and center of gravity of the pendulum in terms of its weight, periods, axis separation and acceleration due to gravity. Since the sums of the moments of inertia of two or more masses with respect to the same axis equals the moment of inertia of the combined masses with respect to that axis, the moment of inertia and center of gravity of a mass (the human subject) distinct from the double axis pendulum can be found.

In reference 4 it is shown that the distance from the short suspension axis (figure 1) to the center of gravity of the subject is given by

$$\mathbf{L_{s}} = \frac{ \frac{ I_{s} \pi^{2} \Delta L \left[ \left( \frac{W}{g}^{!} + \rho V^{!} \right) \left( 2 \mathbf{L_{s}^{!}} + \Delta L \right) \right. + \Delta L \left( \frac{W}{g} + \rho V \right) \left. - \frac{\mathbf{T}^{2}}{I_{p} \mathbf{I}^{2}} \left( W + W^{!} \right) \right] - W^{!} \mathbf{L_{s}^{!}} \left( \mathbf{T_{pl}^{2}} - \mathbf{T_{ps}^{2}} \right) }{ W \left( \mathbf{T_{pl}^{2}} - \mathbf{T_{ps}^{2}} \right) - 8 \pi^{2} \left( \frac{W}{g}^{!} + \rho V \right) \Delta L } ,$$

while the moment of inertia of the subject about an axis parallel to the fulcrum axis and passing through his center of gravity is given by


$$I_o = \frac{T^2}{\log^2} (W^i L_s^i + W L_s^i) - I_s^i - (\frac{W}{g} + \rho V) L_s^2$$
.

#### Where:

Tps is the period of the pendulum about the short suspension axis

 $\mathbf{T}_{\mathbf{p}\mathbf{l}}$  is the period of the pendulum about the long suspension axis

Is is the moment of inertia of the pendulum (without subject) about the short axis



- A Long suspension axis
- B Short suspension axis
- 0 Angular displacement of pendulum
- W' Weight of pendulum without subject
- W Weight of subject
- ΔL Distance between support axes
- $L_{n}^{s}$  Distance from short suspension axis to CG of pendulum
- $\mathbf{L}_{l}^{s}$  Distance from long suspension axis to CG of pendulum
- $\mathbf{L}_{\mathbf{S}}$  Distance from short suspension axis to CG of subject
- $\mathbf{L}_1$  Distance from long suspension axis to CG of subject

Figure 1. Schematic of Compound Pendulum

- g is the acceleration due to gravity
- V is the subject volume based upon body weight and an assumed mean body density of 65.246 lb/ft<sup>3</sup>
- V' is the pendulum volume
- ρ is the ambient air density

The remaining symbols are as given previously.

A given determination of center of gravity and moment of inertia involves only five measurements: air temperature, subject weight, the two pendulum periods about the short and long suspension axes and a reference distance from the subject to the short suspension fulcrum. All other constants in the equations are determined, once, prior to the actual subject measurements.

Also noteworthy is the fact that the center of gravity measurement is made in proper relationship with the gravity vector as contrasted with other methods (references 8 and 10) in which the displacement of subcutaneous fat and viscera is orthogonal to the direction of measurement.

#### ACCURACY

The theoretical limits of accuracy obtainable with the compound pendulum technique (as applied to living human measurement) was estimated (reference 4) from the total differentials of  $L_{\rm B}$  and  $L_{\rm O}$ . These limits depend upon the magnitude of the moment of inertia which in turn is a function of body weight, anthropometry, body position and axis. Provided the crucial experimental variables are carefully controlled, accuracies of ±2% for maximum  $L_{\rm O}$  values and ±8% for minimum  $L_{\rm O}$  values appear within the realm of possibility (reference 4). The distance to the center of gravity can be measured to within ±0.5% or better along the X and Z axes.

Some of the practical considerations in achieving these estimated limits are touched upon in Section III.

#### DATA RECORDING AND PROCESSING

Since an enormous quantity of raw data is generated rapidly when a large number of subjects are measured for moment of inertia and cg in eight distinct positions about three body axes, a 7090 computer program was written to calculate individual I<sub>O</sub> and I<sub>S</sub> values and to carry out the statistical analysis on the computed moments and cgs. Ferhaps unique in this study is the total integration of the experimental procedure with the data processing. This was achieved by recording all data, anthropometry included, directly on decimal data key punch sheets, an arrangement designed to minimize transcription errors and provide an orderly procedure for the experiment.

The computer program was written in Fortran and consists of a main program and five subroutines. Three of the latter are used where required to compute averages, standard deviations, simple and multiple regression correlation coefficients, equation constants and standard errors of estimates. All of the printout data tables in this report were generated by the other two subroutines.

#### BODY COORDINATE SYSTEM

An orthogonal axis system was defined by the intersection of the three principal planes of the body passing through the center of gravity of the body as shown in figure 2. The Z-axis is formed by the intersection of the sagittal plane and the frontal plane; the Y-axis, by the intersection of the frontal and transverse planes; and, the X-axis, by the intersection of the sagittal and transverse planes.




Figure 2. Body Coordinate System

The orthogonal axis system was referenced to the body as shown in figure 3. The location of the center of gravity of the body was measured along the Z-axis from the top of the head, L(Z), along the X-axis from the back plane, L(Y), and along the Y-axis from the anterior superior spine of the ilium, L(X). However, since body symmetry with respect to the sagittal plane was assumed, L(Y) was defined as equal to one-half the bispinous breadth (Appendix III).




Figure 3. Reference Landmarks for Location of Center of Gravity

#### SELECTION OF BODY POSITIONS

Eight body positions (figure 4) were defined. Factors which were considered in the selection of the positions included the desirability of a standard anthropometric posture (Standing), the capability of determining the effect of changes in limb position on moment of inertia, (Standing, Arms Over Head; Sitting, Forearms Down) positions predicted to yield maximum and minimum moment of inertia values (Spread Eagle; Sitting, Thighs Elevated), and special applications (Mercury Configuration, Relaxed-Weightless).

#### DESCRIPTION OF POSITIONS

1. STANDING

	hanging naturally at the sides as described in WADC TR 52-321 stature measurement (reference 7).
2. STANDING, ARMS OVER HEAD	Legs, torso and head same as position 1; upper extremities raised over head, parallel to Z-axis; wrist axes parallel to X-axis; hands slightly elenched.
3. SPREAD EAGLE	Torso and head same as position 1; subject against plane parallel to YZ plane; arms at 45° with Z-axis, legs at 30° with Z-axis; wrist axes parallel to YZ plane; hands slightly clenched.
4. SITTING	Upper legs and forearms parallel to X-axis; upper arms, lower legs and spine parallel to Z-axis; soles parallel to XY plane; wrist axes parallel to Z-axis; head in Frankfort plane.
5. SITTING, FOREARMS DOWN	Same as position 4, except forearms parallel to Z-axis, wrist axes parallel to X-axis.

<sup>7.</sup> MERCURY CONFIGURATION

SITTING, THIGHS ELEVATED

Same as position 4, except 100° back-thigh angle, thigh-leg angle 112°, forearm parallel to thigh.

Same as position 4, except upper leg angle

approximately 35° with YZ plane.

Subject stands erect with head oriented

#### 8. RELAXED (WEIGHTLESS)

Position predicted to be assumed by a human, relaxed in the weightless state.\*
See figure 4.

<sup>\*</sup> Unpublished study by K. W. Kennedy, Anthropology Branch, Behavioral Sciences Laboratory, 6570th Aerospace Medical Research Laboratories, Wright-Patterson Air Force Base, Ohio.




Figure 4. Body Positions

#### SECTION II

#### DESCRIPTION OF APPARATUS

#### DESIGN AND FABRICATION OF PENDULUMS

Two compound pendulums were designed in accordance with the criteria presented in reference 4 to accommodate the subject sample for the eight positions previously defined. One pendulum  $(I_{\rm Ox}/I_{\rm Oy})$  was utilized for the determination of moment of inertia about the X and Y axes; the other was used for measurement about the Z-axis  $(I_{\rm Oz})$ . The pendulums, weighing in the range of 40 to 60 lbs., were constructed mainly of welded 1-inch aluminum tubing. The cone fulcrums, designed for minimum friction and wear, were fabricated of steel and tipped with hard-facing alloy; the cones rested on hardened steel pads. The pads were secured to a heavy steel support fixture which was anchored solidly to concrete. A hoist mechanism was devised to transfer the pendulums from the short to the long suspension axis and to rotate the  $I_{\rm Ox}/I_{\rm Oy}$  pendulum. The pendulums, suspended from the support fixture, are shown in figures 5 and 6.

#### INSTRUMENTATION

Since determination of moment of inertia by the use of a compound pendulum is dependent upon accurate measurement of the pendulum period, an electronic timer system was designed to measure time to within ±0.0001 sec. The timer system consisted of a light source, a photo diode, an electronic counter (Hewlett Packard Model 522B), and reset and inhibition circuitry which permitted the measurement of either a single cycle or a series of cycles up to 10. A thin blackened rod, attached to each pendulum equidistant from the short suspension axes, interrupted the light source during oscillation to automatically start and stop the counter. The switch (rod, light source, and photo diode) can be seen in position in figure 5.

#### BODY RESTRAINT

Pressure-sensitive tape and Velcro tape (1- and 2-inch widths) were used to restrain the subjects in their proper positions and to ensure rigidity with respect to the pendulum. Shim material of low-density rigid polystyrene foam was utilized in various thicknesses and shapes to align and restrain the head, feet, knees and wrists of the subjects where necessary. The restraint materials and techniques were chosen to minimize artifacts in the measurement of human moment of inertia.




Figure 5. Moment-of-Inertia Measurement Apparatus (I Pendulum)




Figure 6. Moment-of-Inertia Measurement Apparatus ( $I_{ox}/I_{oy}$  Pendulum)

#### SECTION III

#### EXPERIMENTAL PROCEDURE

#### SELECTION OF SUBJECTS

The sample of 66 male subjects was selected on the basis of stature and weight from North American Aviation employees to represent the Air Force population stature and weight characteristics described in reference 7. For this total sample whose stature-weight scattergram is shown in figure 7, 60 subjects are contained within the bounds of 1st and 99th percentile values of stature and weight and 50 within the area bounded by the 5th and 95th percentile values. The stature-weight correlation coefficient value for the total sample is approximately 0.6, in comparison with the Air Force population value of approximately 0.5 reported in reference 6.




Figure 7. Scattergram of Statures and Weights of 66 Subjects

#### ANTHROPOMETRY OF SUBJECTS

Fifty measurements were taken on each subject. These measurements, listed in table I, included thirty-five standard Air Force dimensions contained in reference 7, and fifteen other dimensions. The former are useful for describing the characteristics of the subject sample in relation to the Air Force population, while the latter are expected to be useful in determining other biophysical characteristics such as the weight of certain segments of the body, etc.

#### TABLE I

#### MEASUREMENT OF SUBJECTS

Ankle Circumference Axillary Arm Circumference Riscromial Diameter Biceps Circumference (Extended) Bispinous Breadth Buttock-popliteal Length Buttock Circumference Buttock Depth Calf Circumference Cervicale Height Chest Breadth Chest Circumference Chest Depth Riboy Circumference (Extended) Fist Circumference Foot Breadth Foot Length Forearm Circumference (Extended) Hand Breadth at Metacarpale Hand Length Head Breadth Head Circumference Head Length Hip Breadth

Hip Breadth, Sitting Iliac Spine Height Juxtanipple Skinfold Knee Circumference, Standing Lower Arm Length Lower Thigh Circumference Midaxillary Line, Xyphoid Skinfold Shoulder Height (Acromial Height) Sitting Height Span Sphyrion Height Stature Substernale Height Suprasternale Height Thigh Circumference Tibiale Height Triceps Skinfold Trochanteric Height Upper Arm Length Waist Breadth Waist Circumference Waist Depth Waist Height Weight Wrist Circumference

All measurements were made with standard anthropometric instruments in accordance with techniques specified in references 7 and 9. Lange skinfold calipers\* were used in obtaining skinfold thickness measurements. A description of the anthropometric dimensions is given in Appendix III.

<sup>\*</sup> Cambridge Scientific Industries, 18 Poplar Street, Cambridge, Maryland.

#### CALIBRATION OF APPARATUS

Calibration of the apparatus, consisting of the timer and pendulums, was a straightforward procedure. The timer was checked with respect to accuracy by adjusting the period of the oscillator in the Hewlett Packard electronic counter to correspond with that of a secondary frequency standard maintained by the NAA Metrology Laboratory. This calibration insured a basic counter accuracy of 2 parts in 106. The design of the photo-diode switch provided a pulse rise time at the input to the counter of approximately 1 microsec.

Reproducibility of period measurements was evaluated with the aid of an eight-foot simple pendulum oscillating through a one degree arc. It was found to be approximately ±0.0001 sec. for single-cycle comparisons and approximately ±0.00005 sec. for 10-cycle averages.

Moments of inertia and centers of gravity of the pendulums with respect to their short suspension axes were measured by taking at least 10 10-cycle averages of the periods for each suspension, axis and position. Fulcrum friction was reduced to a minimum by substituting lubricated glass plates for the steel pads. Fulcrum separations ( $\Delta L$ ) were measured with a height gage to about ±0.001 inch. The pendulums were weighed to an accuracy of ±0.01 lb. on a calibrated Triner scale.

The accuracy of the  $I_{\rm O}$  measurement was evaluated experimentally through the use of a 139-lb. machined steel block, approximately 2 x 12 x 20 inches, having a computed  $I_{\rm O}$  about one axis of approximately 16.33 lb. in. sec. <sup>2</sup> Measured  $I_{\rm O}$  differed from the computed value by less than 1 percent.

Following calibration of the pendulums for positions 1, 2 and 3, a short pilot study was run to assess subject period reproducibility and to develop an effective restraint technique. The results of this study demonstrated that a period reproducibility of ±0.0005 sec. could be maintained with all subjects capable of participating in the experiment even through fulcrum and axis transfers.

A restraint procedure finally evolved which utilized a combination of drafting tape, Velcro tape and polystyrene foam shim blocks. Head movement in the upright positions was found to be particularly critical and careful attention was required in its positioning and restraint.

#### MOMENT OF INERTIA AND CG DETERMINATION


The subject was instructed to be as relaxed as possible and to breathe normally during measurement.

Subject weight, both pre and post-run, was recorded for each position. The subject was weighed on a Fairbanks, Morse and Co. scale (Code 10737, accuracy ±0.05 lb.) and measured while clad only in trunks or shorts whose weight ranged between 4 and 8 oz. The garment weight was assumed a part of the subject body weight in all cases.

After the subject assumed position on the pendulum, a check was made to ensure that the cg of the subject was within prescribed limits by noting the position of the pendulum axis with respect to a gravity reference line and shimming the subject where required. The subject was securely restrained to the pendulum in the proper position by use of masking and Velcro tape at appropriate locations on the body. (The restraint technique is demonstrated for both pendulums and all positions in figures 8 through 11.)

The pendulum was made to oscillate through an angle of  $\pm 1^{\circ}$ . At least two 10-cycle-period averages were taken for each suspension axis to ensure that reproducibility was achieved. The criterion for reproducibility was that successive average periods be within  $\pm 0.0005$  sec.

A body-reference distance from the top of the subjects' heads to the short-fulcrum suspension axis of the  $I_{\rm ox}/I_{\rm oy}$  pendulum was measured for each position, and air temperature was recorded.




1. Standing



3. Spread Eagle




2. Standing, Arms Over Head




4. Sitting


Figure 8. Subject Restrained in Positions 1 Through 4 (Iox/Ioy Pendulum)




5. Sitting, Forearms Down



7. Mercury Configuration




6. Sitting, Thighs Elevated




8. Relaxed (Weightless)


Figure 9. Subject Restrained in Positions 5 Through 8 (I<sub>ox</sub>/I<sub>oy</sub> Pendulum)



1. Standing




2. Standing, Arms Over Head




4. Sitting




3. Spread Eagle



5. Sitting, Forearms Down



6. Sitting, Thighs Elevated



8. Relaxed



7. Mercury

#### SECTION IV

#### RESULTS

The experimental results of the study are summarized in tables II and III wherein the most significant statistical information is listed. Computer printout of all statistical data is contained in Appendix I. In Appendix II, the individual centers of gravity, moments of inertia and anthropometry for each subject are presented. Lists of symbols and definitions applicable to the computer program printout sheets can also be found in Appendices I and II.

All correlations presented in the tables are based upon subject weight averaged over all positions. This weight is recorded for each subject on his individual data sheet in Appendix II. Since weight variations were seldom greater than one pound, this procedure should not significantly affect correlation coefficients.

Table II presents the arithmetic means and standard deviations of the centers of gravity and moments of inertia of the sample along with the means and standard deviations of age, stature and weight. The mean centers of gravity for all body positions are shown graphically in figure 12. Body symmetry was assumed insofar as the Y-axis centers of gravity are concerned; hence, their means and standard deviations are independent of body position. This assumption was not involved in the determinations of the Y-axis moments of inertia, however.

Table III shows the results of the linear regression analysis of moment of inertia vs. stature and weight. The multiple correlation coefficients all exceed 0.9 with only three exceptions. These large values of R indicate a very strong dependence of moment of inertia on stature and weight, which combined with the relatively small values of standard error of estimate and the large sample size, demonstrate the usefulness of the regression equation as a predictive tool. Regression equations, with which  $\rm I_{\rm O}$  values can be computed from stature and weight, are given for each position and axis.

The general equations of motion of a body involve an inertial tensor whose elements consist of the parameters measured in this study, i.e., the moments of inertia  $I_X$ ,  $I_Y$ ,  $I_Z$ , and the products of inertia  $I_{XY}$ ,  $I_{XZ}$ ,  $I_{YZ}$ . Although the determination of the latter was beyond the scope of this experiment, it can be shown (reference 5) that the largest of these,  $I_{XZ}$ , can be found using a modification of the compound pendulum method.

TABLE II

ARITHMETIC MEANS AND STANDARD DEVIATIONS OF SAMPLE CENTERS OF GRAVITY AND

MOMENTS OF INERTIA

	A	xis	Center of Gr (in.)	avity S.D.	Moment of In (lb.in.sec	
1.	Standing	x y z	3.5 4.8 31.0	0.20 0.39 1.45	115.0 103.0 11.3	19.3 17.9 2.2
2.	Standing, Arms Over Head	x y z	3.5 4.8 28.6	0.22 0.39 1.33	152.0 137.0 11.1	26.1 25.3 1.9
3.	Spread Eagle	x y z	3·3 4·8 28·5	0.19 0.39 1.90	151.0 114.0 36.6	27.1 21.3 7.9
4.	Sitting	x y z	7.9 4.8 26.5	0.36 0.39 1.14	61.1 66.6 33.5	10.3 11.6 5.8
5.	Sitting, Forearms Down	x y z	7.7 4.8 26.8	0.34 0.39 1.16	62.4 68.1 33.8	9.7 12.0 5.9
6.	Sitting, Thighs Elevated	x y z	7.2 4.8 23.1	0.37 0.39 0.78	39.1 38.0 26.3	6.0 5.8 5.1
7.	Mercury Configuration	x y z	7.9 4.8 27.1	0.34 0.39 1.14	65.8 75.2 34.2	10.3 14.0 5.6
8.	Relaxed (Weightless)	x y z	7•3 4•8 27•5	0.33 0.39 1.44	92.2 88.2 35.9	13.3 13.3 5.4

Sample Size 66

Mean Age 33.2 yrs. S.D. Age 7.2 yrs.

Mean Weight 166.4 lbs. S.D. Weight 19.8 lbs.

Mean Stature 69.4 in. S.D. Stature 2.9 in.

TABLE III

CORRELATION OF MOMENT OF INERTIA WITH STATURE AND WEIGHT

		Axis	$^{ m R}$ i·sw	S.E.*	I Regression Equations *
1.	Standing	x	0.98	4.18	-232.0 + 3.775 + 0.512W
	ŭ	У	0.96	5.27	-212.0 + 3.435 + 0.460W
		z	0.93	6.84	-0.604 + 0.0988 + 0.112W
		•	0.95	0.04	-0.004 + 0.0900 : 0.11EH
2.	Standing,	x	0.98	5.63	-328.0 + 5.36s + 0.652W
	Arms Over	У	0.96	6.89	-332.0 + 5.348 + 0.589W
	Head	z	0.89	0.87	1.4 - 0.0858 + 0.094W
		_			
3.	Spread	x	0.98	4.90	-353.0 + 5.638 + 0.677W
	Eagle	У	0.96	6.24	-270.0 + 4.30s + 0.516W
		Z	0.93	2.82	-101.0 + 1.528 + 0.191W
4.	Sitting	x	0.92	4.01	-91.6 + 1.438 + 0.322W
		ያ	0.92	4.51	-135.0 + 2.268 + 0.268W
		Z	0.97	1.45	-52.8 + 0.768 + 0.201W
			••	-	,
5.	Sitting,	x	0.91	<b>3.9</b> 8	-78.7 + 1.298 + 0.309W
	Forearms	У	0.92	4.67	-127.0 + 2.058 + 0.321W
	Down	Z	0.97	1.36	-53.7 + 0.7658 + 0.206W
6.	Sitting,	x	0.89	2.79	-33.8 + 0.5438 + 0.212W
	Thighs	У	0.77	3.66	-22.2 + 0.4348 + 0.180W
	Elevated	z	0.92	2.00	-30.4 + 0.3288 + 0.204W
			•		-
7.	Mercury	x	0.93	3.75	-94.3 + 1.57s + 0.308w
-	Configuration	У	0.94	4.96	-175.0 + 2.858 + 0.318W
	•	z	0.96	1.64	-45.0 + 0.6688 + 0.197W
		***			
8.	Relaxed	x	0.96	3.71	-106.0 + 1.778 + 0.452W
	(Weightless)	У	0.94	4.54	-139.0 + 2.438 + 0.352W
	•	Z	0.96	1.54	-47.2 + 0.7768 + 0.176W

Sample Size 66

r<sub>sw</sub> = 0.60 S.E. = 2.33 in. S = 54.9 + 0.087W

\* I and S.E. in lb.in.sec.<sup>2</sup>

S in in.

W in 1bs.




Figure 12. Mean Centers of Gravity

#### SECTION V

#### SUMMARY

A study was conducted to determine the moments of inertia and centers of gravity of a sample of 66 living male subjects representative of the Air Force population in stature and weight (r = 0.6, S.D. = 2.3). Eight positions were investigated: Standing; Standing, Arms Over Head; Spread Eagle; Sitting; Sitting, Forearms Down; Sitting, Thighs Elevated; Mercury Configuration; and Relaxed (Weightless). A set of 50 anthropometric dimensions was taken on each subject, as well as record photographs in each position. The experimental procedure was based upon the compound pendulum. Results of a brief statistical analysis indicate the following:

- 1. Moment of inertia correlates very well with subject stature and weight in all positions and axes. Multiple linear correlation coefficients ranged between 0.77 and 0.98. Since standard errors were small, the derived regression equations constitute a useful tool for the prediction of subject moment of inertia from stature and weight alone.
- 2. The moments of inertia for all positions ranged from 6 to 211 lb. in sec.<sup>2</sup>, with means from 11 to 152 lb. in sec.<sup>2</sup>. The data as a whole are consistent, changing in magnitude of I<sub>o</sub> as body position shifts.
- Centers of gravity data exhibit the same consistency; mean cg shifts relate as expected to changes in limb position.

The data contained in this report provide a basis for total-body dynamic analysis. Relative to the test sample or other similar populations, individual centers of gravity can now be estimated and moments of inertia computed from easily obtainable anthropometric dimensions.

#### BIBLIOGRAPHY

- 1. Braune, W., and O. Fischer, "Über den Schwerpunkt des menschlichen Körpers mit Rücksicht auf die Ausrüstung des deutschen Infanteristen," (Concerning the Center of Gravity of the Human Body), Abh. d. math.-phys. Cl. d.k. Sächs. Gesellsch.d. Wissen., Vol. 15. p. 561, Leipzig, 1889.
- Braune, W., and O. Fischer, "Bestimmung der Trägheitsmomente des menschlichen Körpers und seiner Gleider," (Determination of the Moment of Inertia of the Human Body and Its Limbs), Abh. d. math.phys. Cl. d.k. Sächs. Gesellsch. d. Wissen., Vol. 18 (8), p. 409, Leipzig, 1892.
- Dempster, W. T., Space Requirements of the Seated Operator, WADC Technical Report 55-159, Wright Air Development Center, Wright-Patterson Air Force Base, Ohio, July 1955.
- 4. DuBois, J. and W. R. Santschi, "The Determination of the Moment of Inertia of the Living Human Organism," John W. Senders, ed., John Wiley and Sons, Inc., New York, N. Y., 1963, In Press.
- 5. DuBois, J., The Determination of the Froduct of Inertia of the Living Human Organism, NA-62-1298, North American Aviation, Inc., Los Angeles, California, January 1963.
- 5. Emanuel, I., M. Alexander, E. Churchill, and B. Truett, A Height-Weight Sizing System for Flight Clothing, WADC Technical Report 56-365, Wright Air Development Center, Wright-Patterson Air Force Base, Ohio, April 1959.
- 7. Hertzberg, H.T.E., G. S. Daniels and E. Churchill, Anthropometry of Flying Personnel-1950, WADC Technical Report 52-321, Wright Air Development Center, Wright-Patterson Air Force Base, Ohio, March 1950.
- 8. Hertzberg, H.T.E. and G. S. Daniels, The Center of Gravity of a Fully-Loaded F-86 Ejection Seat in the Ejection Position,
  MCREXD-45341-4-5, Wright Air Development Center, Wright-Patterson Air Force Base, Ohio, March 1950.
- Pascale, L. R., M. I. Grossman, and H. S. Sloane, Correlation Between Thickness of Skinfolds and Body Density in 88 Soldiers, Report No. 162, 9937 TU, Medical Nutrition Laboratory, Fitzsimmons Army Hospital, Denver, Colorado, April 1955.
- Swearingen, J. J., <u>Determination of Centers of Gravity of Man</u>, CAA Project No. 53-203, Civil Aeronautical Medical Research Laboratory, Norman, Oklahoma, May 1953.
- Weinbach, A. P., "Contour Maps, Center of Gravity, Moment of Inertia and Surface Area of the Human Body," Human Biology, Vol. 10 (3) p. 356, 1938.

# APPENDIX I

# STATISTICAL DATA

# SYMBOLS USED IN PRINTOUT

A, B	Regression equation constants, stature vs. weight
A(X), A(Y),C(Z)	Regression equation constants with respect to denoted axis for single and multiple moment-of-inertia correlations
VA	Arithmetic mean of the sample
AVL(X)	Arithmetic mean of the centers of gravity along the X-axis measured with respect to the back plane
AVL(Y)	Arithmetic mean of the centers of gravity along the Y-axis; equal to one-half the average bispinous distance
AVL(Z)	Arithmetic mean of the centers of gravity along the Z-axis measured with respect to the top of the head
AVI(X), AVI(Y), AVI(Z)	Arithmetic means of the moments of inertia with respect to the X, Y and Z axes respectively
R(X), R(Y), R(Z)	Correlation coefficients with respect to X, Y and Z axes for single and multiple moment-of-inertia correlations
RHWT	Correlation coefficient, stature vs. weight
S(X), S(Y), S(Z)	Standard errors of estimates with respect to the X, Y and Z axes for single and multiple moment-of-inertia correlations
SD	Standard deviations from the mean
SDL(X), SDL(Y), SDL(Z)	Standard deviations of the centers of gravity from AVL(X), AVL(Y) and AVL(Z) respectively
SDI(X), SDI(Y), SDI(Z)	Standard deviations of the moments of inertia from AVI(X), AVI(Y) and AVI(Z) respectively
SHWT	Standard error of estimate, stature vs. weight
STAT	Stature
WT	Subject weight

### ARITHMETIC FEANS AND STANDARD DEVIATIONS

POSITION	AVL(X)	AVL(Y)	AVL(Z)	SDL (X)	SDL(Y)	SDL(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED [WEIGHTLESS]	350+01 349+01 332+01 794+01 772+01 724+01 790+01 729+01	480+01 480+01 480+01 480+01 480+01 480+01 480+01	310+02 286+02 285+02 265+02 268+02 231+02 271+02 275+02	200-00 221-00 194-00 360-00 339-00 343-00 343-00 327-00	386-00 386-00 386-00 386-00 386-00 386-00 386-00	145+01 133+01 190+01 114+01 116+01 784+00 114+01
POSITION	(X) IVA	AVI (Y)	AVI(Z)	SDIIXI	SDI(Y)	SD1(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	115+03 152+03 151+03 611+02 624+02 391+02 658+02 922+02	103+03 137+03 114+03 666+02 681+02 380+02 752+02 882+02	113+02 111+02 366+02 335+62 338+02 263+02 342+02 359+02	193+02 261+02 271+02 103+02 974+01 598+01 103+02 133+02	179+02 253+02 213+02 116+02 120+02 576+01 140+02 133+02	224+01 194+01 787+01 578+01 587+01 509+01 555+01 538+01

AVAGE 33.2 SDAGE 7.2 AVSTAI 69.4 SDSTAT 2.9 AVNT 166.4 SDNT 19.8

N = 66

(WEIGHT IN LBS, LENGTH IN INCHES, MOMENT OF INERTIA IN LB-IN-(SEC)SQ)

# PULTIPLE LINEAR CORRELATION

# MOMENT OF INERTIA VS. STATURE AND HEIGHT

POSITION	R(X)	R(Y)	R(Z)	SIXI	S(Y)	S(Z)
1 STANDING	976+00	955+00	927+00	418+01	527+01	838+00
2 STANDING, ARMS OVER HEAD	977+00	962+00	892+00	563+01	689+01	B74+00
3 SPREAU EAGLE	484+00	950+00	934+00	490+01	624+01	282+01
4 SITTING	921+00	921+00	968+00	401+01	451+01	145+01
5 SITTING, FOREARMS DOWN	913+00	920+00	973+00	398+01	467+01	136+01
6 SITTING, THIGHS ELEVATED	885+00	773+00	920+00	279+01	366+01	200+01
7 MERCURY CONFIGURATION	931+00	935+00	955+00	375+01	496+01	164+01
8 RELAXED (WEIGHTLESS)	960+00	940+00	958+00	371+01	454+01	154+01

POSTITUM	417	A ( 17)	ALLI	DIAI	DITI	B(Z)	C(X)	CITI	C(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	-232+03- -328+03- -353+03- -916+02- -787+02- -338+02- -943+02- -106+03-	·332+03 ·270+03 ·135+03 ·127+03 ·222+02 ·175+03	140+01 -101+03 -528+02 -537+02 -304+02 -450+02	536+01 563+01 143+01 129+01 543+00 157+01	534+01 430+01 226+01 205+01 434-00 285+01	-851-01 152+01 760+00 765+00 328-00 668+00	652+00 677+00 322-00 309-00 212-00 308-00	589+00 516+00 268-00 321-00 180-00 318-00	939-31 191-00 201-00 206-00 204-00 197-00

N = 66

### SIMPLE LINEAR CORRELATION

MOMENT OF INERTIA VS. STATURE

POSITION	R ( X )	R(Y)	R(Z)	S(X)	S(Y)	S(2)
1 STANDING	881+00	863+00	468-00	917+01	902+01	198+01
2 STANDING. ARMS OVER HEAD	892+00	888+00	446-00	118+02	116+02	173+01
3 SPREAD EAGLE	900+00	874+00	850+00	118+02	103+02	415+01
4 SITTING	774+00	844+00	794+00	651+01	621+01	351+01
5 SITTING. FUREARMS DOWN	761+00	815+00	795+00	632+01	692+01	356+01
& SITTING. THIGHS ELEVATED	683+00	590+00	662+00	437+01	465+01	381+01
7 MERCURY CONFIGURATION	799+00	862+00	770+00	618+01	708+01	354+01
8 RELAXED (WEIGHTLESS)	792+00	841+00	805+00	810+01	722+01	319+01
POSITION	A ( X )	A(Y)	A(Z)	B( x )	B(Y)	B(Z)
1 STANDING	-292+03	-266+03	-137+02	586+01	530+01	360-00
2 STANDING, ARMS OVER HEAD	-404+03	-400+03	-953+01	802+01	774+01	297-00
3 SPREAD EAGLE	-431+03	-330+03	-123+03	839+01	640+01	230+01
4 SITTING	-129+03	-166+03	-761+02	274+01	336+01	158+01
5 SITTING. FOREARMS DOWN	-115+03	-165+03	-777+02	255+01	335+01	161+01
6 SITTING. THIGHS ELEVATED	-584+02	-432+02	-542+02	140+01	117+01	116+01
7 MERCURY CONFIGURATION	-130+03	-212+03	-679+02	282+01	414+01	147+01
8 RELAXEC (WEIGHTLESS)	-158+03	-180+03	-676+02	361+01	386+01	149+01

N = 66

(WEIGHT IN LBS, LENGTH IN INCHES, MOMENT OF INERTIA IN LB-IN-(SEC)SQ)

#### SIMPLE LINEAR CORRELATION

MOMENT OF INERTIA VS. WEIGHT

POSITION	R (X)	R(Y)	R(2)	S(X)	S(Y)	5(2)
1 STANDING 2 STANDING, ARMS GVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	864+00 851+00 856+00 862+00 859+00 859+00 860+00	844+00 027+00 832+00 800+00 829+00 752+00 805+00 839+00	921+00 086+00 818+00 918+00 924+00 907+00 913+00 897+00	974+01 137+02 140+02 522+01 499+01 306+01 524+01 555+01	958+01 142+02 118+02 694+01 668+01 380+01 829+01 726+01	869+00 897+00 453+01 229+01 225+01 214+01 227+01 238+01
POSITION	A ( X )	A(Y)	A(Z)	B( X )	B{Y}	8 ( Z )
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	-250+02 -344+02 -435+02 -132+02 -777+01 -397+01 -831+01	-239+02 -386+02 -340+02 -109+02 -150+02 161+01 -191+02 -563+01	-599+01 -327+01 -173+02 -110+02 -117+02 -124+02 -831+01 -458+01	842+00 112+01 117+01 447-00 422-00 259-00 445-00 607+00	760+00 106+01 892+00 466-00 499-00 218-00 567+00	104-00 865-01 324-00 267-00 273-00 233-00 256-00 243-00

RHWT 0.597 SHWT 2.333 A 54.9 B 0.087

N = 66

#### APPENDIX II

#### SUBJECT DATA

The computed moments of inertia and centers of gravity for the individual subjects together with the corresponding anthropometric dimensions are presented in the following pages. The data are for the most part self-explanatory. Definitions of the symbols and abbreviations are reproduced here for the convenience of the reader. Floating point numbers are read conventionally, e.g., 274+02 means 0.274 x 10<sup>2</sup>.

- L(X) Distance to the center of gravity of the subject as measured along the X-axis from the back plane.
- L(Y) Distance to the center of gravity of the subject measured along the Y-axis from the iliac crest. Since body symmetry with respect to the sagittal plane is assumed, L(Y) is equal to one-half the bispinous breadth.
- L(Z) Distance to the subject center of gravity measured along the Z-axis from the top of the head.
- I(X) Moment of inertia about the X-axis through the subject's center of gravity.
- I(Y) Moment of inertia about the Y-axis through the subject's center of gravity.
- I(Z) Moment of inertia about the Z-axis through the subject's center of gravity.

# ABBREVIATIONS OF ANTHROPOMETRIC DIMENSIONS

Ankle Circumference Ankle C Axilarm C Axillary Arm Circumference Biacrom D Biacromial Diameter Bicep C Biceps Circumference (Extended) Bispin B Bispinous Breadth Butpop L Buttock-popliteal Length Butt C Buttock Circumference Buttock Depth Butt D Calf C Calf Circumference Cervicale Height Cervic H Chest B Chest Breadth Chest C Chest Circumference Chest D Chest Depth Elbow C Elbow Circumference (Extended) Fist C Fist Circumference Foot B Foot Breadth Foot L Foot Length Forearm C Forearm Circumference (Extended) Hand B Hand Breadth at Metacarpale Hand L Hand Length Head Breadth Head B Head Circumference Head C Head Length Head L Hip Breadth Hip B Hip Breadth, Sitting Hip B Sit Iliac H Iliac Spine Height Juxtanipple Skinfold Juxta S Knee C Knee Circumference, Standing Lower Arm Length Lowarm L Lowthigh C Lower Thigh Circumference Midaxillary Line, Xyphoid Skinfold Shoulder Height (Acromial Height) Malx S Shldr H Sit H Sitting Height Span Span Sphyri H Sphyrion Height Substern H Substernale Height Suprasternale Height Supstern H Thigh C Thigh Circumference Tibiale H Tibiale Height Tricep S Triceps Skinfold Trochan H Trochanteric Height Upper Arm Length Uparm L Waist B Waist Breadth Waist Circumference Waist C Waist Depth Waist D Waist H Waist Height Wrist Circumference Wrist C

SUBJECT NUMBER 1	AGE 28.9	STATURE	72.2 HEI	GHT 173.5			
POSITION		L(X)	L(Y)	L(Z)	1(x)	I(Y)	1(2)
STANDING STANDING, ARMS OVER STREAD EAGLE SITTING SITTING, FOREARMS ( SITTING, FOREARMS ( SITTING, THIGHS ELE MERCUTY COMPIGNATION RELAXED (WEIGHTLESS		362+01 352+01 334+01 854+01 830+01 770+01 850+01 765+01	531+01 531+01 531+01 531+01 531+01 531+01 531+01	322+02 299+02 295+02 272+02 276+02 239+02 283+02 281+02	132+03 174+03 172+03 616+02 635+02 414+02 668+02 999+02	119+03 159+03 135+03 735+02 749+02 373+02 853+02 995+02	131+02 125+02 419+02 387+02 387+02 299+02 404+02 387+02
ILIAC H 42.3 IF CHEST D 10.0 W HIP B 14.1 A) WRISI C 6.6 FI THIGH C 23.0 L( SPHYRI H 2.7 FC BIACROM D 14.2 HI HEAD C 22.8 HI	HLDR H 60.2 ROCHAN H 40.2 AIST D 9. XILARH C 12.2 IST C 11. OWTHIGH C 15.2 IP B SIT 15.2 EAD L 8.6 TEN IN INCHES.	TIBIAL BUTT I BICEP CHEST KNEE   BUTPO HEAD	C 10.4 C 10.9 C 38.3 C 14.8 B 4.0 P L 20.7 B 6.3	SUBSTERN L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S	14.7 13.0 10.5 32.7 15.4 73.2 7.5 0.7	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	47.0 10.9 11.6 10.6 40.6 8.9 36.8 3.4
SUBJECT NUMBER 2	AGE 32.7	STATURE		GHT 203.2	7347		
PGSITION  1 STANDING, ARMS OVER 2 SYANDING, ARMS OVER 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS IN 6 SITTING, THIGHS FLI 7 MERCURY CONFIGURAT 8 RELAXED (WEIGHTLES)	R HEAD DOWN EVATED IGN SJ	2401 409+01 360+01 825+01 802+01 805+01 829+01 770+01	L(Y) 516+01 516+01 516+01 516+01 516+01 516+01 516+01 516+01	25+02 296+02 294+02 274+02 274+02 276+02 231+02 279+02 281+02	1(X) 147+03 196+03 197+03 783+02 854+02 467+02 818+02 113+03	1(Y) 129+03 175+03 149+03 812+02 860+02 492+02 949+02 104+03	1(2) 174+02 158+02 475+02 429+02 439+02 430+02 430+02 435+02
ILIAC H 41.5 TI CHEST D 10.6 M HIP B 14.2 AI MRIST C 11.4 F HIGH C 24.9 L SPHYRI H 2.8 F BIACROM D 13.1 H HEAD C 22.5 H	HLDR H 61.  ROCHAN H 37.  ALST D 9.  XILARM C 14.  IST C 11.  GOT L 10.  IP B SIT 15.  ISPIN B 10.	7 TIBIA 9 BUTT 7 BICEP 4 CHEST 5 KNEE 7 FOOT 2 BUTPO HEAD	D 11.0 C 13.4 C 49.7 C 15.9 B 3.8 P L 20.9	SUBSTERN UPARM L CHEST B ELBOW C CALF C SPAN HAND L MALX S		WAIST H LOWARM L WAIST B FUREARM C BUIT C ANKLE C SIT H HAND B JUXTA S	48.3 11.3 13.1 12.3 53.5 9.1 38.0 3.4 0.8
(WEIGHT IN LBS, LENG	TH IN INCHES, I	40MENT OF	INERTIA IN	LB-1N-(SEC	1 <b>SQ</b> )		
SUBJECT NUMBER 3	AGE 43.2	STATURE	69.8 WEI	GHT 158.1			
POSITION		L(X)	L(Y)	L(Z)	[X]]	1(4)	1(2)
1 STANDING 2 STANDING, ARMS DVE 3 SPREAD EAGLE 4 SITTING 5 SITTING, FØREARMS 6 SITTING, THIGHS EL 7 MERCURY CONFIGURAT 8 KELAXED (WEIGHTLES	DUWN EVATED I ON	327+01 337+01 312+01 779+01 750+01 721+01 773+01 720+01	467+01 467+01 467+01 467+01 467+01 467+01 467+01 467+01	309+02 286+02 287+02 263+02 267+02 227+02 268+02 271+02	110+03 147+03 145+03 540+02 570+02 366+02 614+02 848+02	971+02 134+03 107+03 609+02 587+02 340+02 716+02 780+02	932+01 100+02 367+02 308+02 306+02 255+02 316+02 359+02
ILIAC H 40.2 T CHEST D 9.3 M HIP B 13.5 A MRIST C 6.9 F THIGH C 21.7 L SPHYRI H 2.8 F BIACROM D 12.8 H HEAD C 23.1 H	HLOR H 58. RGCHAN H 39. A1ST D 9. X1LARM C 11. IST C 11. GWTHIGH C 15. GOT L 10. IP B SIT 14. EAD L 8. ISPIN B 9.	5 TIBIA 8 BUTT 9 BICEP 6 CHEST 6 KNEC 5 FOOF 7 BUTPO 3 HEAD	D 9.7 C 10.6 C 38.0 C 15.6 B 3.8 P L 18.7	SUBSTERN UPARM L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S	H 50-3 14-2 12-6 10-6 32-4 13-8 72-8 7-9 0-6	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	45.5 11.3 11.1 11.2 38.2 8.1 50.8 3.7

SUBJECT NUMBER 4 AGE	30.6	STATURE	66.9	WEIGHT	161.6
----------------------	------	---------	------	--------	-------

POSETION	ι(χ)	L(Y)	L(Z)	[ ( x )	1(4)	1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 MELAXED (WEIGHTLESS)	365+01 364+01 340+01 785+01 767+01 712+01 762+01 676+01	451+01 451+01 451+01 451+01 451+01 451+01 451+01 451+01	275+02 276+02 259+02 262+02 230+02 264+02	106+03 135+03 129+03 513+02 545+02 588+02 560+02	938+C2 120+03 955+02 613+02 624+C2 394+02 698+02 813+02	106+02 115+02 343+02 309+02 312+02 250+02 314+02 321+02
CERVIC H 56.3 SHLDR H IL IAC H 36.6 TRGCHAN F CHLST D 9.3 WAIST D HIP B 13.8 AXILARM C HIGH C 25.0 LOWITHIGH SPHYRI H 3.0 FGGT L BIACROM D 11.1 HIP B SIT HEAD C 22.2 HEAD L TRICEP S 0.8 BISPIN B	8.3 BUTT 0 13.6 BICEP 11.2 CHEST ( 15.9 KNEE C 9.6 FOOT B	E H 18.0 10.5 C 11.7 C 38.5 15.2 3.5	SUBSTERN F UPARM L CHEST B ELBGW C WAIST C CALF C SPAN HAND L MALX S	47.8 12.8 13.3 10.4 32.3 15.2 65.7 7.0 0.7	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	42.2 9.8 11.6 10.5 39.1 8.7 35.6 3.3 0.5

SUBJECT NUM	LER S	AGE	30.1	STATURE	67.6	WEIGHT	169.3

í	P051T10	N		L(X) L	(Y)	L(Z)	1(x)	{ <b>4</b> }]]	1(2)
1 STANDING 2 STANDING 3 SPREAD E/ 4 SITTING 5 SITTING, 6 SITTING, 7 MERCURY ( B RELAXED	AGLE FOREARI THIGHS CONFIGU	MS DUWN ELEVATED RATION		319+01 52 310+01 52 791+01 52 764+01 52 724+01 52 789+01 52	2+01 2+01 2+01 2+01 2+01 2+01 2+01 2+01	270+02 235+02 273+02	113+03 147+03 145+03 595+02 601+02 388+02 622+02 892+02	103+03 135+03 117+03 680+02 687+02 352+02 746+02 906+02	112+02 110+02 376+02 355+02 357+02 282+02 359+02 348+02
CERVIC H ILIAC H CHEST D HIP B WRIST C THIGH C SPHYRI H BIACROM D HEAD C	58.2 38.5 8.8 14.0 6.9 23.2 2.7 13.2 23.1	SHLDR H TROCHAN H WAIST D AXILARM C FIST C LOWITHIGH C FOOT L HIP B SIT HEAD L BISPIN B	55.8 37.2 9.1 12.6 11.6 17.0 10.6 15.0 8.3	SUPSTERN H TIBIALE H BUTT D BICEP C CHEST C KNEE C FOOT B BUTPOP L HEAD B	55.0 17.6 9.6 12.0 36.8 14.6 4.1 18.8 6.2	SUBSTERN UPARM L CHEST B ELBGW C WAIST C CALF C SPAN HAND L MALX S	H 48.3 12.5 12.9 10.2 32.6 15.3 71.2 7.5	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	44.2 10.4 11.7 10.6 39.8 9.1 35.2 3.5

(WEIGHT IN LBS, LENGTH IN INCHES, MOMENT OF INERTIA IN LB-IN-(SEC)SQ)

# SUBJECT NUMBER 6 AGE 33.1 STATURE 71.5 WEIGHT 203.3

	9051710	N		L(X)	L(Y)	L(Z)	I(X)	I(Y)	1(2)
1 STANDING 2 STANDING 3 SPREAD E/ 4 SITTING 6 SITTING, 6 SITTING, 7 MERCURY ( 8 RELAXED (	AGLE FOREAR! THIGHS ONFIGUE	4S DOWN ELEVATED RATION		381+01 367+01 356+01 855+01 829+01 775+01 858+01 765+01	561+01 561+01 561+01 561+01 561+01 561+01 561+01	318+02 294+02 295+02 273+02 276+02 234+02 280+02	144+03 188+03 187+03 699+02 712+02 489+02 777+02 113+03	129+03 172+03 142+03 795+02 802+02 419+02 932+02 109+03	142+02 138+02 510+02 449+02 448+02 367+02 469+02 427+02
CERVIC H ILIAC H CHEST D HIP B WRIST C THIGH C SPHYRI H BIACROM D HEAD C TRICEP S	61.5 40.2 10.8 14.5 7.0 23.6 2.5 12.4 23.4	SHLDR H TRUCHAN H WAIST D AXILARM C FIST C LOMTHIGH C FOGT L HIP B SIT HEAD L BISPIN B	59.3 39.3 9.8 13.6 11.8 16.9 11.0 16.5 8.1	SUPSTERM TIBIALE B'TT D BICEP C CHEST C KNEE C FOOT B BUTPOP L WEAD B	H 20.3 11.4 12.4 41.1 16.7 4.1	SUBSTERN UPARM L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S	H 51.1 14.5 14.0 11.0 36.5 17.3 73.0 7.8 0.9	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	46.4 11.1 12.8 11.6 41.1 9.9 36.2 3.7

SUBJECT NUMBER 7 AGE 22.9	STATURE 67.4 WE	IGHT 147.3	
POSITION	L(X) L(Y)	L(Z) 1(X)	I(Y) I(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING	350+01 425+01 349+01 425+01 318+01 425+01 764+01 425+01	298+02 956+02 275+02 126+03 272+02 125+03	819+02 103+02 110+03 102+02 903+02 299+02 538+02 275+02
5 SITTING, FOREARMS DOWN	739+01 425+01	246+02 501+02 248+02 500+02	543+02 265+02
6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	703+01 425+01 757+01 425+01	217+02 329+02 250+02 570+02	304+02 215+02 673+02 272+02
8 RELAXED (WEIGHTLESS)	665+01 425+01	258+02 823+02	798+02 310+02
CERVIC H 57.9 SHLDR H 56. ILIAC H 38.2 TROCHAN H 36.	5 TIHIALE H 19.2	UPARM L 14.0	WAIST H 43.7 LOWARM L 10.6
CHEST D 9.5 WAIST D 8. HIP B 13.3 AXILARM C 12.	O BICEP C 10.8	ELBOW C 11.7	WAIST B 10.9 FOREARM C 10.9
WRIST C 6.1 FIST C 11. THIGH C 21.3 LOWTHIGH C 14.	9 KNEE C 14.1	CALF C 13.8	BUTT C 37.4 ANKLE C 8.0
SPHYRI H 2.7 FOOT L 10. BIACROM D 12.5 HIP B SIT 13.			SIT H 33.9 HAND B 3.1
HEAD C 22.8 HEAD L 8. TRICEP S 0.2 BISPIN B 8.	O HEAD B 6.5		
(WEIGHT IN LBS, LENGTH IN INCHES,	MGMENT OF INERTIA IN	LB-IN-(SEC)SQ)	
SUBJECT NUMBER 8 AGE 34.1	STATURE 72.6 WE	IGHT 188.8	
POSITION	L(X) L(Y)	L(Z) I(X)	I(Y) I(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD	365+01 516+01 360+01 516+01	317+02 138+03 291+02 186+03	124+03 143+02 173+03 135+02
3 SPREAD EAGLE 4 SITTING	347+01 516+01 820+01 516+01	292+02 184+03 276+02 731+02	138+03 449+02 745+02 388+02
5 SITTING. FOREARMS DOWN 6 SITTING. THIGHS ELEVATED	800+01 516+01 753+01 516+01	278: 2 733+02 239+02 448+02	780+02 406+02 463+02 312+02
7 MERCURY CONFIGURATION 8 RELAXEC (WEIGHTLESS)	832+0) 516+01 741+01 516+01	279+02 782+02 282+02 106+03	884+02 406+02 996+02 444+02
		100.00	770.02 444.02
CERVIC H 62.2 SHLDR H 60.1 ILIAC H 41.7 TROCHAN H 40.6		SUBSTERN H 51.5 Uparm L 14.8	WAIST H 46.5 LGWARM L 11.7
CHEST D 10.5 WAIST D 10.0 HIP B 14.3 AXILARM C 13.	0 BUTT D 10.2	CHEST B 14.4	WAIST B 12.9
WRIST C 11.5 FIST C 12.5 THIGH C 21.9 LOWTHIGH C 16.5	5 CHEST C 41.6	WAIST C 36.7	FOREARM C 11.6 BUTT C 40.1
SPHYRIH 3.1 FOOT L 10.0	9 FOOT B 3.9	CALF C 14.4 SPAN 75.3	ANKLE C 9.2 SIT H 37.4
BIACROM D 13.0 HIP B SIT 15.5 HEAD C 22.7 HEAD L 8.0 TRICEP S 0.6 BISPIN B 10.3	HEAD B 6.3	MALX S 0.6	
(WEIGHT IN LBS. LENGTH IN INCHES. )		L8-IN-(SEC)SQ)	
SUBJECT NUMBER 9 AGE 27.4	STATURE 67.6 WEI	GHT 152.2	
POSITION			
1 STANDING	L(X) L(Y) 351+01 441+01	L(Z) I(X) 297+02 974+02	1(Y) 1(Z) 904+02 951+01
2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE	352+01 441+01 342+01 441+01	275+02 130+03 277+02 128+03	120+03 833+01
4 SITTING 5 SITTING, FOREARMS DOWN	788+01 441+01 772+01 441+01	275+02 438+02	562+02 292+02
6 SITTING. THIGHS ELEVATED 7 MERCURY CONFIGURATION	715+01 441+01 769+01 441+01	228+02 442+02	593+02 295+02 398+02 228+02
B RELAXED (WEIGHTLESS)	688+01 441+01	278+02 592+02 267+02 848+02	662+02 31C+02 823+02 306+02
CERVIC H 57.1 SHLDR H 55.7 ILIAC H 37.3 TRUCHAN H 33.0		SUBSTERN H 47.7	WAIST H 42.5
CHEST D 9.4 WAIST D 7.7	BUTT D 9.3	UPARM L 13.5 CHEST B 12.1	LOWARM L 10.6 WAIST B 10.9
HIP 8 13.3 AXILARM C 12.3 WRIST C 6.4 FIST C 11.6	CHEST C 36.8	ELBOW C 10.4 WAIST C 30.1	FUREARM C 10.5 BUTT C 37.8
THIGH C 22.6 LOWINIGH C 14.9 SPHYRI H 2.5 FOOT L 10.2	KNEE C 14.2 FOOT B 3.8	CALF C 14.4 SPAN 69.5	ANKLE C 8.3 SIT H 35.6
BIACROM D 11.2 HIP B SIT 14.1 HEAD C 22.8 HEAD L 8.2	BUTPOP L 19.1 HEAD B 6.1	HAND L 7.5 MALX S 0.4	HAND B 3.4 JUXTA S 0.4
TRICEPS 0.5 BISPINB 8.8			
INFIGHT IN ERS. LENGTH IN ENCHES HE	MUCHT OF THEATER		

SUBJECT NUMBER 10 AGE 48.6	STATURE 67.9 WE	IGHT 197.1	
POSITION	L(X) L(Y)	L(Z) ((X)	I(Y) I(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY COMPIGURATION 8 RELAXED (WEIGHTLESS)	389+01 504+01 370+01 504+01 366+01 504+01 701+01 504+01 759+01 504+01 774+01 504+01 782+01 504+01 714+01 504+01	302+02 128+03 278+02 168+03 278+02 171+03 264+02 735+02 265+02 726+02 225+02 479+02 269+02 799+02 268+02 110+03	119+03 157+02 154+03 141+02 131+03 429+02 757+02 372+02 809+02 375+02 503+02 339+02 876+02 390+02 990+02 401+02
CERVIC H 58.2 SHLDR H 36. ILIAC H 37.3 TRGCHAN H 36. CHEST D 10.4 MAIST D 11. HIP B 14.8 AXILARM C 14. MRIST C 7.8 FIST C 12. THIGH C 24.1 LOMTHIGH C 17. SPHYRI H 5.0 FOOT L 10. BIACROM D 13.1 HIP B SIT 16. HEAD C 22.1 HEAD L 8. TRICEP S 1.1 BISPIN B 10.	O TIBIALE H 19-0 2 BUTT D 11-4 8 BICEP C 13-0 3 CHEST C 42-7 6 KNEE C 16-9 9 FOOT B 3-9 8 BUTPOP L 19-1 3 HEAD B 5-9	SUBSTERN H 46.9 UPARH L 14.0 CHESI B 14.5 ELBOM C 12.0 MAIST C 37.9 CALF C 16.3 SPAN 72.1 HAND L 7.8 MALX S 0.8	WAIST H 43.7 LOWARM L 10.5 WAIST 8 12.9 FOREARM C 12.7 BUTT C 42.3 ANKLE C 11.6 SIT H 35.6 HAND B 3.8 JUXTA S 0.6
(WEIGHT IN LBS, LENGTH IN INCHES,	MOMENT OF INERTIA IN	LB-IN-(SECISQ)	
SUBJECT NUMBER 11 AGE 33.5	STATURE 62.7 WEI	GHT 132.6	
POSITION	L(X) L(Y)	L(Z) I(X)	1(7) 1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	341+01 480+01 371+01 480+01 317+01 480+01 719+01 480+01 695+01 480+01 648+01 480+01 719+01 480+01 675+01 480+01	277+02 761+02 255+02 101+03 256+02 963+02 245+02 453+02 247+02 473+02 219+02 295+02 251+02 472+02 254+02 674+02	666+02 791+01 914+02 939+01 716+02 250+02 479+02 219+02 504+02 224+02 293+02 169+02 500+02 234+02 633+02 250+02
CERVIC H 53.4 SHLDR H 51.  ILIAC H 34.4 TROCHAN H 32.  CHEST D 8.0 MAIST D 7.  HIP B 15.2 AXILARM C 12.  WRIST C 0.3 FIST C 11.  THIGH C 20.9 LOWITHIGH C 15.  SPHYRI H 2.9 FOOT L 9.  BIACROM D 12.0 HIP B SIT 13.  HICAD C 21.7 HEAD L 7.  TRICEP S 0.9 BISPIN B 9.	7 TIRIALE H 17.5 8 BUTT D 9.8 2 BICEP C 11.3 1 CHEST C 34.3 0 KMEE C 14.1 1 FOOT B 3.7 9 BUTPOP L 16.6 5 HEAD B 6.3	SUBSTERN H 43.1 UPARM L 12.2 CHEST B 11.6 ELBGW C 10.2 WAIST C 29.5 CALF C 13.4 SPAN 64.8 HAND L 7.0 MALX S 0.7	WAIST H 39.6 LGWARM L 9.8 WAIST B 10.7 FGREARM C 10.4 BUTT C 36.0 ANKLE C 8.1 SIT H 33.3 HAND B 3.1 JUXTA S 0.9
(WEIGHT IN LBS, LENGTH IN INCHES,	MOMENT OF INERTIA IN	LB-IN-(SEC)\$Q)	
SUBJECT NUMBER 12 AGE 29.8	STATURE 69.7 WEI	GHT 149.0	
POSITION	L(X) L(Y)	L(Z) I(X)	1(5)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	335+01	311+02 103+03 288+02 138+03 283+02 135+03 265+02 538+02 267+02 545+02 232+02 346+02 271+02 591+02 274+02 827+02	997+02 964+01 125+03 993+01 994+02 323+02 559+02 303+02 636+02 312+02 376+02 228+02 643+02 307+02 758+02 324+02
CERVIC II 59.9 SHLDR H 37.  II. IAC H 39.6 TRGCHAN H 37.  CHEST D 9.3 WAIST D 8.  HIP B 13.4 AKILARM C 11.  WAIST C 6.3 FIST C 10.  THIGH C 21.3 LGMTHIGH C 15.  SPHYRI H 2.6 FBGT L 10.  BIACRGM D 11.5 HIP B SIT 13.  HEAD C 22.8 HEAD L 8.  TRICEP S 0.4 BISPIN B 9.	3 TIBIALE H 19.3 1 BUTT D 9.6 9 BICEP C 10.8 9 CHEST C 38.2 0 KNEE C 14.3 1 FOOT B 3.9 8 UTPOP L 19.1 2 HEAD B 6.3	SUBSTERN H 50.2 UPARM L 13.7 CHEST B 13.4 ELBOW C 10.4 MAIST C 31.6 CALF C 13.3 SPAN 70.2 HAND L 7.5 MALX S 0.3	MAIST H 44.4 LOWARM L 10.8 WAIST B 11.4 FOREARM C 10.4 BUITT C 37.4 ANKLE C 37.4 ANKLE C 35.9 HAND B 3.4 JUXTA S 0.3

SUBJECT NUMBER 13 AGE 42.4	STATURE 64.6	WEIGHT 133.9			
POSITION	L(X) L(Y)	L(Z)	I(X)	[(Y)	1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED INFIGHTLESS)	343+01 480+0 341+01 480+0 329+01 480+1 763+01 480+0 742+01 480+1 674+01 480+1 756+01 430+1 719+01 480+1	267+02 258+02 21 242+02 21 250+02 21 250+02 215+02 215+02	926+02 109+03 107+03 426+02 446+02 277+02 463+02 698+02	785+02 873+02 906+02 523+02 407+02 314+02 500+02 663+02	824+01 972+01 239+02 241+02 243+02 175+02 251+02 279+02
BIACROM D 12.6 HIP B SIT 13. HEAD C 22.0 HEAD L 7. TRICEP S 0.6 BISPIN B 9.	1181ALE H 7 BUTT D 1 BICEP C 9 CHEST C 8 KNEE C 7 FOOT B 9 BUTPOP L 9 HEAD 8	22.7 SUBSTERN 18.4 UPARM L 9.5 CHEST B 10.6 ELBOW C 15.9 WAIST C 14.7 CALF C 3.5 SPAN 18.0 HAND L 5.9 MALX S	13.3 12.2 9.5 31.0 13.7 67.8 7.0	WAIST H LOWARM L HAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	41.4 9.7 10.6 9.8 36.9 8.1 33.7 3.2 0.4
(WEIGHT IN LBS: LENGTH IN INCHES,	MOMENT OF INERTIA	A IN LB-IN-(SEC	(SQ)		
SUBJECT NUMBER 14 AGE 36.2	STATURE 68.1	wEIGHT 146.8			
POSITION	L(X) L(Y	) L(Z)	ttx)	1(Y)	1(2)
1 STANDING 2 STANDING 3 SPREAD EAGLE 4 SITTING, FOREARMS DOWN 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	325+01 407+ 335+01 407+ 310+01 407+ 760+01 407+ 741+01 407+ 763+01 407+ 719+01 407+	01 280+02 01 271+02 01 259+02 01 262+02 01 262+02 01 262+02	960+02 127+03 126+03 535+02 575+02 311+02 571+02 791+02	892+02 119+03 913+02 576+02 572+02 335+02 666+02 782+02	941+01 990+01 290+02 289+02 290+02 230+02 304+02 296+02
ILIAC H 38.7 TROCHAN H 38 CHEST D 9.7 MAIST D 9 HIP B 13.1 AXILARN C 12 WRIST C 6.5 FIST C 10 THIGH C 20.9 LGWTHIGH C 15 SPHYRI H 2.6 FGGT L 10 BIACRON D 12.2 HIP B SIT 14 HEAD C 22.0 HEAD L 7	1 TIBIALE H 3 BUTT D 2 BICEP C 6 CHEST C 4 KNEE C 5 FGGI 8 2 BUTPOP L 8 HEAD 8	55.6 SUBSTERN 19.3 UPARN L 9.9 CHEST B 11.4 ELBOM C 37.4 WAIST C 14.2 CALF C 3.6 SPAN 18.6 HAND L 6.1 MALX S A IN LB-IN-(SEC	14.0 12.6 10.4 32.7 14.0 76.2 7.4 0.5	MAIST H LOWARM L WAIST B FOREARM C BUTF C ANKLE C SIT H HAND B JUXFA S	43.0 10.7 11.2 10.6 37.2 8.5 35.5 3.3
SUBJECT NUMBER 15 AGE 30.5	STATURE 72.6	WE1GHT 172.4			
POSITION	L(X) L(Y	) L(Z)	11X)	1(4)	112)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY COMPIGURATION B RELAXED (WEIGHTLESS)	331+01 4594 323+01 4594 313+01 4594 817+01 4594 784+01 4594 677+01 4594 808+01 4594	01 298+02 01 290+02 01 275+02 01 278+02 01 230+02 01 281+02	134+03 173+03 175+03 749+02 726+02 415+02 727+02 100+03	122+03 155+03 132+03 820+02 797+02 401+02 845+02 102+03	118+02 111+02 462+02 378+02 373+02 213+02 377+02 403+02
ILIAC H	SUPSTERN H 1 TIBIALE H 9 BUTT D 12 BICEP C 11 CHEST C 19 KNEE C 15 FOOT B 17 BUTPOP L 17 HEAD B	59.9 SUBSTERN 20.4 UPARM L 10.2 CHEST B 11.3 ELBOW C 39.1 WAIST C 14.9 CALF C 3.9 SPAN 19.9 HAND L 6.1 MALX S	H 50.8 14.2 13.3 10.4 33.0 15.2 74.2 7.6 0.5	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	47.4 11.1 11.7 10.6 37.8 8.7 36.6 3.6

SUBJECT NUMBE	ER 16 AGE 39.	9 STATURE	47 h u6:	GHT 159.5			
							•••
1 STANDING 2 STANDING, A 3 SPREAD EAGL	SITION ARMS OVER HEAD .E	L(X) 338+01 356+01 342+01	L{Y} 470+01 470+01 470+01	1(2) 305+02 282+02 281+02	1(X) 103+03 136+03 133+03	1(Y) 884+02 119+03 974+02	106+02 105+02 312+02
4 SITTING 5 SITTING, FO		771+01 750+01	470+01 470+01	264+02 266+02	541+02 595+02	649+02 668+02	295+02 298+02
	HIGHS ELEVATED NFIGURATION EIGHTLESS)	714+01 772+01 723+01	470+01 470+01 470+01	229+02 272+02 273+02	350+02 601+02 823+02	405+02 691+02 791+02	239+02 306+02 323+02
	58.0 SHLDR H 37.3 TROCHAN H 9.7 WAIST D	56.9 SUPSTE 34.8 TIBIAL 8.7 BUTT D	E H 18.9	SUBSTERN UPARM L CHEST B	H 47.3 13.3 13.0	WAIST H LOWARM L WAIST B	43.5 10.0 11.9
HIP B	13.3 AXILARM C 6.6 FIST G	12.2 BICEP 11.5 CHEST	C 11.8 C 37.6	ELBOW C	10 • 4 33 • 1	FOREARM (	38.9
SPHYRI H	22.6 LOWTHIGH C 2.8 FOOT L	15.2 KNEE C	35.8	CALF C SPAN	14.6 67.6	ANKLE C SIT H HAND B	8.7 35.7 3.4
	12.0 HIP B SIT 22.2 HEAD L 0.7 BISPIN B	14.3 BUTPOP 8.0 HEAD B 9.4		HAND L Malx S	7.2 0.5	JUXTA S	0.5
	BS, LENG H IN INCH		INERTIA IN	LB-IN-ISEC	1501		
SUBJECT NUMBE	R 17 AGE 27.6	S STATURE	59.1 WEI	GHT 203.8			
PØ S	SITION	L(x)	L(Y)	L(2)	[[X]]	1(4)	1(2)
3 SPREAD EAGL	ARMS OVER HEAD	375+01 372+01 356+01	565+01 565+01 565+01	315+02 291+02 291+02	139+03 183+03 181+03	122+03 164+03 140+03	156+02 149+02 486+02
	REARMS DOWN	827+01 809+01	565+01 565+01	255+02 255+02	782+02 769+02	818+02 885+02 472+02	424+02 433+02 336+02
	IIGHS ELEVATED Ifiguration Iightless)	755+01 811+01 730+01	565+01 565+01 565+01	232+02 271+02 281+02	444+02 B15+02 111+03	911+02 111+03	422+02 447+02
ILIAC H 4	9.1 SHLDR H 2.5 TROCHAN H 0.4 WAIST D	57.4 SUPSTER 35.7 TIBIALI 10.4 BUTT D		SUBSTERN UPARM L CHEST B	H 48.6 13.7 13.9	WAIST H LOWARM L WAIST B	45.2 10.4 13.0
HIP B 1	5.1 AXILARM C 7.5 FIST C	14.1 BICEP (	12.7	ELBON C WAIST C	11.0 37.6	FOREARM C	
THIGH C 2 Sphyri H	4.7 LOWTHIGH C 2.6 FOOT L	18.4 KNEE C 10.9 FOOT B	16.8 3.9	CALF C Span	16.7 70.1	ANKLE C SIT H	10.0 34.1
HEAD C 2	2.9 HIP B SIT 2.9 HEAD L 1.4 BISPIN B	16.5 BUTPOP 7.8 HEAD B 11.3	L 19.9	HAND L Malx S	7.5 1.1	JUXTA S	3.3 1.0
	S, LENGTH IN INCHE		INERTIA IN	LB-IN-ISEC	(PZ)		
SUBJECT NUMBE	R 18 AGE 43.6	STATURE 7	'1.2 WEI	FUT 10¢ 6			
					•		
POS 1 STANDING	ITION	L(X) 371+01	L(Y) 543+01	L(Z) 314+02	1(X) 118+03	I(Y) 958+02	1(2)
2 STANDING, A 3 SPREAD EAGL	RMS OVER HEAD E	363+01 368+01	543+01 543+01	291+02 289+02	156+03 163+03	133+03 118+03	996+01 360+02
4 SITTING 5 SITTING, FO 6 SITTING, TH	REARMS DOWN	779+01 769+01 746+01	543+01 543+01 543+01		708+02 731+02	628+02 603+02	362+02 385+02
7 MERCURY CON 8 RELAXED (WE	FIGURATION	775+01 675+01	543+01	274+02	434+02 727+02 993+02	333+02 730+02 908+02	303+02 369+ú2 365+02
ILIAC H 4	O.4 TROCHAN H	36.0 TIBIALE	H 17.8	UPARH L	14.1	LOWARM L	46.8 10.7
CHEST D 1: HIP B 1: WRIST C	0.2 WAIST D 4.5 AXILARM C 6.5 FISY C	11.4 BUTT D 14.1 BICEP C	10.4 12.0	CHEST B ELBOW C	14.3 10.5 k2.5	WAIST B	13.3 10.5 40.8
THIGH C 2	3.6 LOWTHIGH C 2.4 FOOT L	15.9 KNEE C 10.4 FOOT B	15.8	CALF C SPAN	15.1	ANKLE C	8.9 37.3
BIACROM D 1: HEAD C 2:	0.2 MAIST 0 4.5 AXILARN C 6.5 FISY C 3.6 LOWTHIGH C 2.4 FOOT L 2.8 HIP B SIT 3.5 HEAD L 1.2 BISPIN B	15.7 8UTPOP 8.0 HEAD A	L 17-8 6-6	HAND L MALX S	7.0	HAND B JUXTA S	3.1 1.2
FRIGER 3	ILZ BISPIN B	10.9					

SUBJECT NUMBER 19 AGE 30.6	STATURE 67.6 WEI	GHT 138.4	
POSITION	L(X) L(Y)	L(Z) I(X)	1(Y) 1(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	313+01 472+01 312+01 472+01 294+01 472+01 746+01 472+01 725+01 472+01 680+01 472+01 760+01 472+01 729+01 472+01	304+02 909+02 283+02 121+03 281+02 117+03 261+02 452+02 265+02 519+02 233+02 305+02 279+02 544+02 272+02 739+02	810+02 842+01 108+03 940+01 841+02 260+02 552+02 251+02 561+02 256+02 328+02 190+02 448+02 259+02 714+02 275+02
CERVIC H 57.9 SHLDR H 56.1  ILIAC H 37.4 TROCHAN H 35.0  CHEST D 9.1 MAIST D 7.1  MRIST C 6.4 FIST C 11.0  MRIST C 6.4 FIST C 11.0  MRIST C 20.6 LOWTHIGH C 15.1  SPMYRI H 2.8 FOOT L 10.1  BIACROM D 12.6 H P B SIT 14.1  HEAD C 21.3 HEAD L 7.1  TRICEP S 0.6 BISPIN B 9.1	5 TIBLALE H 17.5 9 HUTT D 8.7 6 BICEP C 11.1 CHEST C 35.0 4 KNEE C 14.1 0 FGGT B 3.9 8 UTPGP L 18.2 4 HEAD B 6.1	SUBSTERN H 47.5 UPARM L 13.5 CHEST B 12.4 ELBOW C 9.8 WAIST C 28.9 CALF C 14.0 SPAN 68.1 HAND L 7.2 MALX S 0.3 LB-IN-(SEC)SQ)	MAIST H 43.0 LOMARM L 10.2 WAIST B 10.4 FOREARM C 10.4 BUTT C 35.3 ANKLE C 8.3 SIT H 35.7 HAND B 3.3 JUXTA S 0.4
SUDJECT NUMBER 20 AGE 33.0	STATURE 71.3 WEI	GHT 142.6	
POSITION	L(X) L(Y)	L(Z) I(X)	1(Y) 1(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING, FOREARMS DOWN 6 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	328+01 480+01 321+01 480+01 310+01 480+01 806+01 480+01 780+01 480+01 732+01 480+01 732+01 480+01 728+01 480+01	316+02 112+03 288+02 148+03 290+02 145+03 265+02 478+02 267+02 555+02 229+02 373+02 271+02 641+02 273+02 830+02	963+02 951+01 136+03 865+01 108+03 352+02 633+02 297+02 683+02 301+02 343+02 229+02 680+02 307+02 777+02 321+02
CERVIC H 61.3 SHLDR H 60.  ILIAC H 41.4 TROCHAN H 40.  CHEST D 8.6 WAIST D 7.  HIP B 13.1 AXILARM C 10.  WRISI C 6.9 FIST C 11.  THIGH C 19.3 LOWTHIGH C 14.  SPHYRI H 3.1 FOOT L 10.  BIACROM D 13.4 HIP B SIT 14.  HEAD C 22.0 HEAD L 8.  TRICEP S 0.6 BISPIN B 9.	6 TIBIALE H 20-3 9 BICEP C 10-4 1 CHEST C 35-2 2 KNEE C 14-3 4 FOOT B 3-9 0 HEAD B 6-3	SUBSTERN H 52.2 UPARM L 14.3 CHEST B 11.8 ELBOW C 10.2 WAIST C 29.8 CALF C 17.4 SPAN 74.8 HAND L 7.7 MALX S 0.3	WAIST H 45.2 LGWARM L 10.9 WAIST B 10.9 FOREARM C 10.2 BUTT C 35.0 ANKLE C 8.4 SIT H 35.3 HAND B 3.2 JUXTA S 0.2
(WEIGHT IN LBS, LENGTH IN INCHES,	MOMENT OF INERTIA IN	LB-IN-(SEC)SQ)	
SUBJECT NUMBER 21 AGE 35.6	STATURE 72.3 WEI	GHT 210.4	
POSITION	L(X) L(Y)	L(Z) [(X)	1(4) 1(5)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	392+01 504+01 371+01 504+01 359+01 504+01 628+01 504+01 604+01 504+01 767+01 504+01 799+01 504+01 728+01 504+01	312+02 145+03 293+02 191+03 288+07 187+03 272+02 789+02 273+02 817+02 231+02 466+02 278+02 871+02 277+02 117+03	130+03 168+02 170+03 138+02 153+03 470+02 809+02 436+02 920+02 442+02 396+02 334+02 895+02 420+02 108+03 447+02
CERVIC H   62.4   SHLDR H   60.1	5 TIBIALE # 20.5 BUTT D 10.5 BICEP C 11.9 CHEST C 43.4 C KNEE C 16.4 FOGT B 3.9 BUTPOP L 20.0 HEAD B 6.3	SUBSTERN H 50.7 UPARM L 14.0 CHEST B 15.6 ELBOW C 11.0 WAIST C 38.9 CALF C 16.4 SPAN 73.9 HAND L 7.8 MALX S 0.9	WAIST H 50.0 LØWARM L 11.1 WAIST B 13.2 FOREARM C 11.5 BUTT C 38.9 ANKLE C 11.8 SIT H 36.8 HAND B 3.2 JUXTA S 1.1

SUBJECT NUMBER 22 AGE	39.4 STATURE 71.6	WEIGHT 173.1		
POSITION	L(X) L(Y	) L(Z)	1 (X)	(Y) 1(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, FUREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (MEIGHTLESS)	322+01 455+ 841+01 455+ 816+01 455+	286+02 275+02 271+02 271+02 21 275+02 21 233+02 21 275+02	168+03 15 171+03 13 661+02 70 562+02 71 411+02 41 613+02 79	13+03 117+02 10+03 126+02 11+03 411+02 10+02 385+02 12+02 403+02 13+02 305+02 17+02 400+02 17+02 403+02
CERVIC H 61.4 SHLOR H ILIAC H 40.9 TROCHAN I CHEST D 9.3 MAIST D HIP B 13.8 AXILARM I WHIST C 7.1 FIST C THIGH C 21.6 LGWHIGH SPHYRI H 2.5 FGOT L BIACROM D 14.4 HIP B SI HEAD C 22.9 HEAD L TRICEP S 0.9 BISPIN B	H 39.1 TIBIALE H 8.5 BUTT D C 12.4 BICEP C 11.6 CHEST C C 16.5 KNEE C 11.1 FOOT B	59.0 SUBSTERN 19.8 UPARM L 10.2 CHEST B 11.7 ELBOW C 1.3 MAIST C 15.8 CALF C 3.8 SPAN 20.1 HAND L 6.1 MALX S	15.0 L 0 13.7 WA 11.4 F0 32.7 Bu 14.3 AN 76.8 SI 7.8 HA	NIST H 43.7 MARM L 11.7 NIST B 11.7 REARM C 11.3 NIT C 38.9 NIT C 8.8 IT H 36.3 NND B 3.3 NXTA S 0.5
(WEIGHT IN LBS. LENGTH IN I	NCHES, MOMENT OF INERTI	IN LB-IN-(SEC)	50)	
SUBJECT NUMBER 23 AGE	36.1 STATURE 73.0	WEIGHT 172.2		
POSITION	L(X) L(Y	L(Z)	1(X) 1	(Y) 1(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DUWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 KELAXED (MEIGHTLESS)	348+01 541+ 336+01 541+ 327+01 541+ 816+01 541+ 744+01 541+ 719+01 541+ 777+01 541+ 743+01 541+	01 294+02 01 295+02 01 281+02 01 283+02 01 234+02 01 283+02	168+03 15 172+03 12 592+02 65 562+02 67 334+02 31 657+02 78	4+03 118+02 3+03 109+02 17+03 410+02 55+02 338+02 2+02 344+02 6+02 238+02 33+02 328+02 3+02 402+02
CERVIC H 62.7 SHLDR H ILIAC H 40.7 TROCHAN' CHEST D 10.5 MAIST D HIP B 14.2 AXILARM N MRIST C 7.1 FIST C THIGH C 21.7 LOWTHER SPRYRI H 2.7 FOUT L BIACROM D 12.3 HERD C TRICEPS 0.7 BISPIN B	00.6 SUPSTERN H : 9.3 BUTT D : 0.5 B	59-8 SUBSTERN 20-6 UPARM L 10-6 CHEST B 2-8 ELBOM C 3-9 SFAN 3-9 SFAN 6-3 MALX S	13.7 L0 12.7 WA 11.2 F0 34.1 BU 14.6 AN 75.0 SI 8.6 HA 0.6 JU	ALST H 46.0 IMARM L 11.5 LIST B 12.0 REARM C 11.5 ITT C 39.8 IKLE C 8.5 T H 37.2 IND 8 3.5 IXTA S 0.5
(WEIGHT IN LBS, LENGTH IN I	NCHES, MOMENT OF INERTI	IN LB-IN-(SEC)	(92	
SUBJECT NUMBER 24 AGE 2	9.7 STATURE 67.7	WEIGHT 152.6		
POSITION	L(X) L(Y)	L(Z)	I(X) I	(Y) L(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	318+01 490+0 795+01 490+0 770+01 490+0	1 287+02 1 286+02 1 263+02 1 267+02 1 229+02 1 271+02	130+03 110 132+03 97: 548+02 600 560+02 603 370+02 360 579+02 633	6+02 945+01 8+03 974+01 5+02 335+02 6+02 309+02 3+02 311+02 6+02 246+02 7+02 329+02 7+02 328+02
CERVIC H 58.1 SMLDR H  [LIAC H 38.6 TREGCHAN H  CHEST D 8.3 WAIST D  MIP B 14.1 AXILARM C  MRIST C 6.3 FIST C  THIGH C 23.2 LOMTHIGH  SPHYRI H 2.4 FOOT L  BIACCAM D 13.3 HIP B SIT  HEAD C 21.3 HEAD L  TRICEP S 0.5 BISPIN B	1 35.9 TIBLALE H 1 8.6 BUTT D 11.5 BLCEP C: 1 11.2 CHEST C 3 C 16.3 KNEE C 1 10.6 FOOT B	5.2 SUBSTERN F 9.0 UPARM L 9.8 CHEST B 1.5 ELROW C 4.1 WAIST C 4.8 CALF C 3.9 SPAN 8.4 HAND L 6.0 MALX S	13.3 LG 12.2 WA 10.2 FGF 32.8 BUT 13.9 ANK 69.8 SIT 7.6 HAN	IST H 43.3 MARM L 10.2 IST B 11.7 REARN C 10.6 FT C 59.8 KLE C 12.8 F H 34.8 B 3.5 KTA S 0.6

SUBJECT NUMBER 25	AGE 37.6	STATURE &	57.0 WEI	GHT 153.0			
POSITION		LIX	L(Y)	L(Z)	I(x)	I(Y)	1(2)
1 STANDING 2 STANDING, ARMS OV 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS 6 SITTING, THIGHS E 7 MERCURY CONFIGURA 8 RELAXED (WEIGHTLE	DOWN ELEVATED TION	337+01 334+01 316+01 754+01 726+01 677+01 765+01 691+01	465+01 465+01 465+01 465+01 465+01 465+01 465+01 465+01	304+02 278+02 278+02 264+02 267+02 230+02 273+02 275+02	994+02 133+03 131+03 502+02 549+02 358+02 639+02 917+02	866+02 120+03 995+02 630+02 622+02 636+02 686+02 807+02	100+02 108+02 311+02 269+02 269+02 210+02 290+02 344+02
H1P B 13.5 WRIST C 6.9 THIGH C 22.4 SPHYRI H 2.8 BIACROM D 12.7 MEAD C 22.6	AXILARM C 12 FIST C 11 LOWTHIGH C 15 FOOT L 10 HIP B SIT 14 HEAD L 7 BISPIN 8 9	.9 TIBIALE .5 BUTT D .0 BICEP C .4 CHEST C .6 KNEE C .0 FOOT B .5 BUTPOP .8 HEAD B	9.3 11.5 36.6 15.0 3.7 19.1	SUBSTERN UPART L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S LB-IN-ISEC	13.7 12.6 10.2 31.9 15.0 70.3 7.4 0.5	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	42.6 10.0 11.1 10.6 38.9 8.6 35.3 3.4 0.5
SUBJECT NUMBER 26	AGE 19.4	STATURE 6	9.1 WEI	GHT 139.4			
DESTION		L(X)	L(Y)	1771		11.71	[(Z)
POSITION  1 STANDING, ARMS OV 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS 5 SITTING, THIGHS E 7 MERCURY CONFIGURA 8 RELAXED (WEIGHTLE	DOWN LEVATED TION	325+01 328+01 334+01 70+01 763+01 713+01 741+01	469+01 469+01 469+01 469+01 469+01 469+01 469+01	310+02 286+02 286+02 269+02 271+02 231+02 277+02 276+02	1(X) 101+03 136+03 134+03 535+02 546+02 322+02 606+02 805+02	908+02 119+03 998+02 601+02 644+02 342+02 688+02 814+02	841+01 906+01 304+02 286+02 288+02 239+02 283+02 300+02
ILIAC H 38.4 CHEST D 8.0 HIP B 12.8 WRIST C 6.6 THIGH C 19.8 SPHYRI H 2.9 BIACROM D 13.6 HEAD C 22.4	AXILARM C 10 FIST C 11 LOWTHIGH C 13 FOUT L 11 HIP B SIT 13 HEAD L 8 BISPIN B 9	TIBIALE BUTT D BICEP C GB CHEST C GB	H 18.5 9.1 10.4 34.3 14.1 3.9 L 19.4 5.9	SUBSTERN UPARN L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S	13.3 12.0 10.4 28.9 13.6 69.8 7.5 0.2	MAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	43.6 10.7 10.7 10.5 36.3 8.6 36.1 3.5 0.1
SUBJECT NUMBER 27	AGE 25.8	STATURE 6			134)		
		9181UNE 6	9.9 WEI	GHT 163.8			
POSITION  1 STANDING, ARMS OV 3 SPREAD EAGLE 4 SITTING, FOREARMS 6 SITTING, FOREARMS 6 SITTING, THIGHS E 7 MERCURY CONFIGURA 8 RELAXED (WEIGHTLE	. UJWN LEVATED TIGN	L(X) 332+01 333+01 313+01 761+01 748+01 658+01 766+01	L(Y) 459+01 459+01 459+01 459+01 459+01 459+01 459+01 459+01	113+02 289+02 281+02 273+02 277+02 231+02 278+02 277+02	1(x) 114+03 157+03 152+03 706+02 684+02 423+02 741+02 988+02	1(Y) 978+02 140+03 117+03 741+02 714+02 367+02 786+02 899+02	1(2) 107+02 102+02 354+02 330+02 529+02 221+02 340+02 379+02
ILIAC H 38.5 CHEST D 9.7 HIP B 13.0 WRIST C 7.6 THIGH C 21.3 SPHYRI H 2.8 BIACROM D 13.6 HEAD C 22.1	AXILARM C 12: FIST C 12: LØWTHIGH C 15: FØØT L 10: HIP B SIT 14: HEAD L 7:	.2 TIBIALE .1 BUTT D .6 BICEP C .1 CHEST C .7 KNEE C .7 FOOT B	H 19.5 10.0 11.4 38.6 15.2 3.9	SUBSTERN UPARM L CHEST B ELBGW C WAIST C CALF C SPAN HAND L MALX S	H 47.6 14.2 12.9 10.6 32.3 15.1 72.4 7.6 0.5	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	43.5 10.6 11.8 11.4 36.4 9.1 36.5 3.8 0.6

SUBJECT NUMBER 28 AGE 36.6	STATURE 70.9 WE	IGHT 189.3	
POSITION	L(X) L(Y)	L(Z) I(X)	I(Y) I(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY COMPIGURATION 8 RELAXED (WEIGHTLESS)	395+01 516+01 \(\frac{1}{1}\)0+01 516+01 \(\frac{1}{2}\)0+01 516+01 \(\frac{1}{2}\)0+01 516+01 \(\frac{1}{2}\)0+01 516+01 \(\frac{1}{2}\)0+01 516+01 \(\frac{1}{2}\)0+01 516+01	310+02 131+03 294+02 177+03 291+02 174+03 263+02 688+02 268+02 681+02 230+02 463+02 271+02 706+02 277+02 100+03	131+03 136+02 155+03 132+02 128+03 461+02 766+02 394+02 765+02 397+02 468+02 330+02 859+02 390+02 892+02 442+02
CERVIG H 61.9 SHLDR H 60.1 ILIAC H 41.4 TROCHAN H 38.9 CHEST O 10.4 WAIST D 10.2 HIP B 14.4 AXILARM G 13.6 WARIST C 7.4 FIST C 12.6 THIGH C 23.1 LOWINIGH C 16.5 SPHYRI H 2.9 FGOT L 10.4 BIACROM D 12.7 MIP 8 SIT 14.8 HEAD C 23.0 MEAD L 8.0 TRICEP S 1.1 BISPIN B 10.3	TINIALE H 20.2 BUTT D 10.7 BICEP C 12.5 CHEST C 40.8 KNEE C 15.8 FOOT B 4.2 BUTPOP L 20.3 HEAD B 6.3	SUBSTERN H 51.9 UPARM L 14.0 CHEST B 13.7 ELBOW C 11.2 MAIST C 35.8 CALF C 15.4 SPAN 73.3 HAND L 7.8 MALX S 0.8	WAIST H 46.0 LOWARM L 11.4 WAIST H 12.3 FOREARM C 11.3 BUTT C 40.4 ANKLE C 8.9 SIT H 36.0 HAND B 3.2 JUXTA S 1.0
(WEIGHT IN LBS, LENGTH IN INCHES, N	OMENT OF INERTIA IN	LB-IN-(SEC)SQ)	
SUBJECT NUMBER 29 AGE 21.0	STATURE 74.1 WEI	GHT 151.4	
POSITION	L(X) L(Y)	L(Z) 1(X)	I(Y) I(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY COMPIGURATION 8 RELAXED (WEIGHTLESS)	316+01 429+01 317+01 429+01 308+01 429+01 822+01 429+01 797+01 429+01 720+01 429+01 828+01 429+01 737+01 429+01	338+02 129+03 312+02 174+03 306+02 169+03 289+02 745+02 294+02 718+02 247+02 404+02 296+02 780+02 300+02 9,84+02	115+03 810+01 157+03 833+01 126+03 380+02 773+02 319+02 740+02 328+02 404+02 242+02 858+02 349+02 995+02 373+02
CERVIC H 62.7 SHLDR H 62.2 ILIAC H 42.5 TROCHAN H 38.5 CHEST D 8.4 MAIST D 7.1 HIP B 13.1 AXILARM C 11.7 WRIST C 7.1 FIST C 11.3 THIGH C 20.5 LOWTHIGH C 14.2 SPHYRI H 3.1 FOOT L 10.8 BIACROM C 10.3 HIP B 5IT 13.0 HEAD C 22.4 HEAD L 8.0 TRICEP S 0.3 BISPIN B 8.6	TIBIALE H 20.6 BUTT D 9.0 BICEP C 10.7 LHEST C 35.4 KNEE C 14.3 FOOT B 3.9 BUTPOP L 20.9	SUBSTERN H 52.3 UPARM L 15.2 CHEST B 12.0 ELBGOM C 9.6 MAIST C 27.0 CALF C 14.8 SPAN 74.4 HAND L 8.0 MALX S 0.1	MAIST H 47.6 LOMARM L 11.9 WAIST B 9.6 FOREARM C 10.0 BUTT C 35.5 ANKLE C 9.5 SIT H 37.5 HAND B 3.7 JUXTA S 0.1
(MEIGHT IN LBS, LENGTH IN INCHES, M	GMENT OF INERTIA IN	LB-IN-(SEC)SQ)	
SUBJECT NUMBER 30 AGE 26.3	STATURE 69.3 WEI	GHT 157.1	
POSITION	L(X) L(Y)	L(Z) ((X)	I(Y) I(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY COMPIGURATION 8 RELAXED IMEIGHTLESS)	334+01 500+01 336+01 500+01 335+01 500+01 799+01 500+01 773+01 500+01 725+01 500+01 803+01 500+01 718+01 500+01	308+02 108+03 283+02 147+03 282+02 138+03 259+02 563+02 260+02 562+02 225+02 356+02 263+02 614+02 268+02 857+02	929+02 967+01 130+03 990+01 108+03 310+02 583+02 314+02 665+02 318+02 367+02 250+02 698+02 329+02 786+02 326+02
CERVIC H 58.7 SHLDR H 57.2 ILIAC H 38.8 TROCHAN H 35.9 CMEST D 8.5 WAIST D 7.6 HIP B 13.6 AXILARM C 12.2 WRIST C 6.7 FIST C 11.2 THIGH C 22.2 LGWTHIGH C 15.4 SPHYRI H 2.6 FOOT t 10.3 BIACROM D 13.0 HIP B SIT 13.9 HEAD C 21.9 HEAD L 7.7 TRICEP S 0.3 BISPIN B 10.0	TIBIALE H 19.4 BUIT D 9.6 BICEP C 11.5 CHEST C 37.5 KNEE C 15.0 F00T B 3.9 BUTPOP L 18.7 HEAD B 0.1	SUBSTERN H 49.3 UPARM L 13.4 CHEST B 13.7 ELBOW C 10.4 MAIST C 31.1 CALF C 14.8 SPAN 70.1 HAND L 7.6 MALX S 0.3	MAIST H 43.7 LGWARM L 10.1 WAIST B 11.2 FGREARM C 10.7 BUTT C 37.6 ANKLE C 8.9 SIT H 35.3 HANO B 3.5 JUXTA S 0.3

SUBJECT NUMBER 31 AGE 3	0.2 STATURE	68.8 WE	IGHT 174.5			
POSITION	L ( X )	L(Y)	L(Z)	(x)1	[(4)]	1(2)
1 STANDING, ARMS OVER HEAD 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THICHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (MEIGHTLESS)	370+01 363+01 360+01 787+01 761+01 707+01 781+01 737+01	431+01 431+01 431+01 431+01 431+01 431+01 431+01 431+01	301+02 279+02 278+02 264+02 265+02 227+02 265+02 266+02	110+03 141+03 145+03 606+02 674+02 421+02 664+02 929+02	988+02 131+03 108+03 625+02 681+02 417+02 777+02 867+02	128+02 118+02 361+02 332+02 328+02 243+02 333+02 361+02
CERVIC H 59.3 SHLDR H ILIAC H 38.9 TRØCHAN H CHEST D 10.8 WAIST D HIP B 13.5 AXILARM C WRIST C 7.0 FIST C THIGH C 22.8 LOWTHIGH C SPHYRI H 2.9 FOOT L BIACRON D 13.3 HIP B SIT HEAD C 22.2 HEAD L TRICEP S 0.4 BISPIN B	36.5 TIBIAL 9.4 BUTI D 13.0 BICEP 11.5 CHEST 10.6 FOOT B 14.7 BUTPOP	10.8 C 11.7 C 40.9 15.5 3.7 L 18.9	UPARM L CHEST B		WAIST H LOWARM L HAIST B FOREARM C BUTT C ANKLE C ANKLE C SIT H HAND B JUXTA S	11.2
(WEIGHT IN LBS: LENGTH IN INC	CHES, MOMENT OF	INERTIA IN	LB-IN-(SEC	)SQ)		
SUBJECT NUMBER 32 AGE 24	1.2 STATURE	68.7 WEI	GHT 152.1			
POSITION	L(X)	L(Y)	L(Z)	11x)	1(Y)	1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DUWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED [WEIGHTLESS]	323+01 323+01 304+01 797+01 775+01 726+01 801+01 730+01	484+01 484+01 484+01 484+01 484+01 484+01 484+01 484+01	314+02 290+02 275+02 260+02 264+02 229+02 263+02 265+02		905+02 126+03 102+03 595+02 588+02 323+02 693+02 814+02	935+01 109+02 342+02 309+02 314+02 245+02 318+02 340+02
CERVIC H 58.1 SHLDR H ILIAC H 38.7 TRUCHAN H CHEST D 9.2 WAIST O HIP B 12.9 AXILARM C WRIST C 6.9 FIST THIGH C 21.1 LGWTHIGH C SPHYRI H 2.9 F68T L BIACRGM D 12.3 HIP B SIT HEAD C 22.4 HEAD L TRICEP S 0.3 BISPIN B	35.6 TIBIAL 8.2 BUIT D 12.1 BICEP 11.6 CHEST 15.7 KNEE C 10.1 FGGT B 13.8 BUTPGP 7.9 HEAD B	E H 18.8 9.7 C 11.2 C 38.1 14.1 3.8 L 18.5 6.0	UPARM L CHEST B ELBGW C HAIST C SPAN HAND L MALX S	13.7 12.3 10.7 31.5 14.2 70.9 7.6 0.3	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	11-1
(WEIGHT IN LBS, LENGTH IN INC	HES, MOMENT OF	INERTIA IN	LB-IN-ISEC	( Q Z		
SUBJECT NUMBER 33 AGE 27	.3 STATURE 6	58.9 WEI	GHT 174.9			
POSITION	L(X)	L(Y)	L(Z)	I(X)	[(4)]	1(2)
POSITION  1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGMS ELEVATED 7 MERCURY COMPIGURATION 8 RELAXED (WEIGHTLESS)	345+01 337+01 290+01 819+01 794+01 733+01 818+01 725+01	347+01 447+01 447+01 447+01 447+01 447+01 447+01 447+01	314+02 289+02 290+02 271+02 274+02 234+02 277+02 279+02	122+03 163+03 161+03 646+02 619+02 490+02 682+02 964+02	113+03 149+03 124+03 681+02 679+02 385+02 785+02 936+02	124+02 137+02 325+02 357+02 361+02 275+02 374+02 395+02
CERVIC H 58.8 SHLDR H ILIAC H 38.6 TROCHAN H CHLST D 10.3 HAIST D HTP B 14.4 AXILARN C WRIST C 7.1 FIST C THIGH C 25.4 LOWTHIGH C SPEYRI H 2.6 FOOT L BIACROM D 13.4 H P B SIT HEAD C 23.0 HEAD L TRICEP S 0.6 BISPIN B	11.1 FOOT B 14.3 BUTPOP 8.0 HEAD B 8.9	18.8 10.4 12.2 142.1 15.6 1.3 1.3 1.3	CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S	13.2 14.4 11.0 33.1 15.7 71.6 8.0 0.4	LOWARM L WAIST B	43.5 10.7 12.2 11.5 40.0 9.8 35.3 3.6
(WEIGHT IN LBS. LENGTH IN INC	HES. MOMENT OF I	NERTIA IN	LB-IN-(SEC	SQ)		

SUBJECT NUMBER	3.4	AGE	52.2	STATURE 68.3	METCHT	151 0

POSITION	L(X)	L(Y)	L(Z)	I(X)	(Y)1	1(2)
1 STANDING	333+01	514+01	296+02	975+02	786+02	992+01
2 STANDING, ARMS OVER HEAD	335+01	514+01	270+02	123+03	109+03	107+02
3 SPREAD EAGLE	333+01	514+01	267+02	126+03	105+03	278+02
4 SITTING	745+01	514+01	252+02	525+02	642+02	300+02
5 SITTING. FOREARMS DOWN	722+01	514+01	259+02	562+02	527+02	300+02
6 SITTING, THIGHS ELEVATED	656+01	514+01	223+02	375+02	277+02	212+02
7 MERCURY CONFIGURATION	736+01	514+01	259+02	553+02		
8 RELAXED (WEIGHTLESS)	738+01				570+02	298+02
O RELAXED (WEIGHTLESS)	738401	514+01	262+02	771+02	736+02	339+02
CERVIC H 58.9 SHLDR H	56.6 SUPSTER	N H 55.7	SUBSTERN	H 47.4	WAIST H	44.4
ILIAC H 39.6 TROCHAN H	36.0 TIBLALE	H 18.8	UPARM L	14.2	LOWARM L	10.5
CHEST D 10.0 WAIST D	9.8 BUTT D	9.2	CHEST B	12.6	WAIST B	11.5
HIP B 13.7 AXILARM C	12.4 BICEP C	11.4	ELBOW C	10.4	FOREARM C	10.4
WRIST C 6.5 FIST C	11.2 CHEST C	37.8	WAIST C	34.3	BUTT C	38,1
THIGH C 21.1 LOWTHIGH C	14.2 KNEE C	13.7	CALF C	12.8	ANKLEC	8.1
SPHYRIH 2.5 FOOT L	10.0 FOOT B	3.5	SPAN	71.5	SITH	34.8
BIACROM C 13.3 HIP & SIT	14.3 BUTPOP		HAND L	7.3	HAND B	3.1
HEAD C 23.0 HEAD L	7.8 HEAD B	6.5	MALX S	0.6		
TRICEP S 0.4 BISPIN B	10.3	0.5	HALA 3	0.0	2 ATXUL	0.6

SUBJECT NU	MBER :	35	AGE	40-4	STATURE	67.7	WE	I GHT	167.7			
1	POSITIO	311			r(x)	L(Y	'1	L ( Z	)	(x)	1(Y)	1(2)
1 STANDING 2 STANDING 3 SPREAD E 4 SITTING 5 SITTING, 6 SITTING, 7 MERCURY ( 8 RELAXED	AGLE FOREAF THIGH: CUNFIG	RMS D S ELE JRATI	GWN VATED UN		364+01 354+01 356+01 798+01 772+01 731+01 802+01 742+01	4614 4614 4614 4614 4614	01 01 01 01	300 + 275 + 272 + 255 + 258 + 258 + 260 + 268 +	02 02 02 02 02 02	109+03 144+03 140+03 565+02 53+02 381+02 604+02 873+02	917+02 127+03 109+03 571+02 601+02 331+02 718+02 820+02	124+02 113+02 315+02 322+02 330+02 264+02 340+02 345+02
CERVIC H ILIAC H CHEST D HIP B WRIST C THIGH C SPHYRI H BIACROM D HEAD C TRICEP S	58.3 37.5 10.4 13.8 7.2 23.0 2.8 12.4	TR WA A X F I L d F d H I H E	ILDR H GCHAN I IST D ILARM ( ST C WITHIGH GT L P B SI AD L SPIN B	0 13. 12.1 C 16.2	TIBLAS BUTT BICEP CHEST KNEE FOOT BUTPG HEAD	LE H D C C C B	55.6 19.2 10.8 11.9 40.0 15.4 3.9 19.1	UPA CHE ELB	N D L	H 47.9 13.1 13.5 11.2 35.8 14.9 68.0 7.4 0.6	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	43.1 10.1 12.4 11.5 38.8 8.9 33.8 3.6 0.7

(WEIGHT IN LBS, LENGTH IN INCHES, MOMENT OF INERTIA IN LB-IN-(SEC)SQ)

SUBJECT NU	MBER 3	6 AGE	30.9	STATURE	67.7	WEIGHT	162.7		
	POSITIO	N		L(X)	L(Y)	L(Z	) [(x)	1(4)	1(2)
1 STANDING 2 STANDING 3 SPREAD 4 SITTING 5 SITTING, 6 SITTING, 7 MERCURY 8 RELAXED	, ARMS AGLE FOREAR THIGHS CONFIGU	MS DOWN ELEVATED RATION		358+01 334+01 320+01 767+01 753+01 695+01 771+01 682+01	457+01 457+01 457+01 457+01 457+01 457+01 457+01	307++ 285++ 283++ 262++ 264++ 234++ 266++ 311++	140 +03 12 135 +03 12 135 +03 12 597 +02 12 586 +02 12 394 +02 12 593 +02	988+02 127+03 998+02 637+02 681+02 326+02 738+02 835+02	110+02 940+01 361+02 310+02 316+02 237+02 327+02 331+02
CERVIC H ILIAC H CHEST D HIP B WRIST C THIGH C SPHYRI H BIACROM D HEAD C TRICEP S	58.3 38.6 9.5 13.8 6.8 22.4 3.0 11.1 22.8 0.7	SHLDR H TROCHAN WAIST D AXILARM FIST C LOWTHIGH FOOT L HIP B SI HEAD L BISPIN B	9.8 C 12.8 11.3 C 16.6 10.2	SUPSTE TIBIAL BUTT D BICEP I CHEST I KNEE C FOOT B BUTPOP HEAD B	E H 18. 10. C 11. C 39.	GUPAR CHES BLBO WAIS CALF T SPAN	T B 13.4 W C 10.4 T C 34.6 C 14.8 C 67.9	LOWARM L HAIST B FOREARM C BUTT C ANKLE C S'T H HAND B	43.1 10.4 111.5 10.6 39.8 8.6 35.3 3.5

SUBJECT NU	4BER 31	7 AGE 31	.5 \$	TATURE	70.6	#E1	GHT 176.7			
1	051710	4		L(X)	LI	Y)	L(Z)	1(x)	I(Y)	1(2)
1 STANDING				366+01	506	+01	315+02	120+03	106+03	126+02
2 STANDING	ARMS (	OVER HEAD		358+01		+01	291+02	163+03	146+03	118+02
3 SPREAD EA	AGLE			353+01	506	+01	292+02	164+03	116+03	415+02
4 SITTING				780+01	506	+01	275+02	664+02	722+02	343+02
5 SITTING,	FOREAR	IS DOWN		757+01	506	+01	279+02	709+02	710+02	353+02
6 SITTING.	THIGHS	ELEVATED		706+01	506	+01	242+02	464+02	417+02	267+02
7 MERCURY (	ONF I GUI	RATION		770+01	506	+01	282+02	710+02	793+02	332+02
8 RELAXED I	WE 1GHT	ESSI		707+01	506	+01	280+02	103+03	886+02	375+02
CERVIC H	60.6	SHLDR H	59.3	SUPSTE	RN H	58.1	SUBSTERN	н 49.4	WAIST H	44.8
ILIAC H	38.8	TROCHAN H	36.9	TIBIAL		19.6	UPARM L	13.6	LOWARM L	10.5
CHEST D	10.1	WAIST D	9.2	BUTT D		10.5	CHEST B	12.9	WAIST B	11.6
HIP B	14.0	AXILARM C	12.9	BICEP	С	12.0	ELBOW C	10.B	FOREARM C	
WRIST C	7.4	FIST C	11.8	CHEST	Ċ	39.8	WAIST C	33.7	BUTT C	40.7
THIGH C	21.7	LOWTHIGH C	15.7	KNEE C		15.9	CALF C	13.9	ANKLE C	9.1
SPFYRI H	3.1	FOOT L	10.8	FOOT B		4.0	SPAN	71.8	SITH	37.8
BIACROM D	12.9	HIP B SIT	15.3	BUTFOR	L	19.6	HAND L	7.7	HAND B	3.5
HEAD C	22.5	HEAD L	8.1	HEAD B		5.9	MALX 5	0.6	JUXTA S	0.6
TRICEP S	0.4	BISPIN B	10.1							

SUBJECT N	UMBER 3	88 A	GE 24.	6 S	TATURE	69.5	WEI	GHT 15	58.8			
	POSITIO	IN			L(X)	LC	<b>Y</b> }	L(Z)		1(x)	1(4)	1(2)
6 SITTING	G, ARMS EAGLE , FEREAS , THIGH! CONFIG	MS DOW ELEVA JRATION	N Ted		350+01 341+01 323+01 619+01 795+01 758+01 619+01 753+01	482 482 482 482 482 482 482	+01 +01 +01 +01 +01 +01	311+0; 291+0; 290+0; 259+0; 262+0; 228+0; 265+0; 271+0;	2 :	109+03 145+03 144+03 535+02 565+02 343+02 597+02 815+02	104+03 129+03 108+03 628+02 647+02 366+02 760+02 823+02	108+02 905+01 341+02 325+02 324+02 254+02 346+02 339+02
CERVIC H ILIAC H CHEST D HIP B WRIST C THIGH C SPHYRI H BIACROM D HEAD C TRICEP S	60.1 39.3 8.9 14.0 6.8 23.4 2.9 13.0 22.6	WALS AXIL FIST LOWT FOOT	HAN H I D ARM C C HIGH C L B SIT	57.1 37.5 9.0 12.4 10.9 16.2 10.3 14.1 7.7	SUPST TIBIA BUTT BICEP CHEST KNEE FOOT BUTPO HEAD	D C C C B	56.4 19.9 10.1 11.2 37.5 15.4 3.7 19.3 6.5	SUBS UPAR CHES ELBO WAIS CALF SPAN HAND MALX	T B H C T C C	H 48.7 13.6 13.0 10.3 32.5 14.6 70.9 7.4	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND D JUXTA S	43.8 10.5 11.4 10.6 38.9 8.9 34.4 3.3

(WEIGHT IN LBS, LENGTH IN INCHES, MOMENT OF INERTIA IN LB-IN-(SEC)SQ)

SUBJECT NUM	1BER 3	AGE	27.1	TATURE	65.3	WE I GHT	r 154.1			
ı	051110	1		L(X)	L(Y	i 1	_(2)	1(x)	1(4)	1(2)
1 STANDING 2 STANDING 3 SPREAD E/ 4 SITTING 5 SITTING, 6 SITTING, 7 MERCURY ( 8 RELAXED	GLE FOREAR: THIGHS CONFIGU	4S DOWN ELEVATED RATION		328+01 318+01 323+01 764+01 738+01 690+01 743+01 705+01	459+( 459+( 459+( 459+( 459+( 459+( 459+(	11 21 11 26 11 21 11 20 11 20 11 20	94+02 72+02 57+02 59+02 52+02 23+02 56+02 42+02	963+02 150:03 126+03 528+02 556+02 295+02 556+02 835+02	858+02 111+03 927+02 529+02 577+02 326+02 553+02 748+02	100+02 961+01 295+02 288+02 290+02 220+02 276+02 328+02
CERVIC H ILIAC H CHEST D HIP B WRIST C THIGH C SPHYRI H BIACHOM D HEAD C TRICEP S	55.4 36.8 9.7 13.5 8.6 22.5 2.8 13.7 22.4	SHLDR H TROCHAN WAIST D AXILARM FIST C LOWTHIGH FOOT L H P B S HEAD L BISPIN 1	7.7 C 12.6 11.8 4 C 15.9 9.8 IT 13.1 8.1	SUPST TIBIA BUTT BICEP CHEST KNEE FOOT BUTPO HEAD	LE H D C C C B	17.4 ( 10.1 ( 12.1 ( 139.4 ( 14.6 ( 14.6 ( 18.7 (	SUBSTERN JPARM L CHEST B ELBOW C HAIST C CALF C SPAN HAND L MALX S	H 44.9 12.9 12.8 10.8 32.3 14.6 68.0 6.9 0.4	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	41.7 10.0 11.3 11.3 59.0 8.8 35.7 3.3 0.5

SUBJECT NUMBER 40 AGE 38-1	STATURE	67.4 н	EIGH <b>T 16</b> 9	. 3		
POSITION	L(X)	L(Y)	L(Z)	I(X)	I(Y)	1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DUWN 6 SITTING, THIGHS ELEVATED 7 MERCURY COMFIGURATION 8 RELAXED (WEIGHTLESS)	361+01 368+01 349+01 767+01 740+01 714+01 776+01 718+01	463+01 463+01 463+01 463+01 463+01 463+01 463+01	299+02 272+02 269+02 255+02 258+02 227+02 262+02 264+02	105+03 139+03 138+03 568+02 593+02 381+02 612+02 968+02	918+02 127+03 105+03 620+02 607+02 382+02 653+02	114+02 126+02 329+02 309+02 313+02 253+02 339+02 324+02
CERVIC H 57.7 SHLDR H 57.7 ILIAC H 37.1 TROCHAN H 33. CHEST D 10.5 MAIST D 9. HIP B 14.5 AXILARM C 12. WRIST C 6.8 FIST C 11. THIGH C 23.2 LOWITHIGH C 15. SPHYRI H 2.6 FGGT L 10. BIACROM D 13.0 HIP B SIT 15. HEAD C 21.4 HEAD L 7. TRICEP S 0.8 BISPIN B 9.	3 TIBIAL 2 BUTT D 6 BICEP 4 CHEST 4 KNEE C 0 FOOT B 4 BUTPOP 5 HEAD B	10.6 C 11.0 C 42.5 15.6 3.9 L 20.0	UPARM I CHEST I ELBOW ( WAIST C CALF C SPAN HAND L MALX S	3 12.5 10.7 34.3 14.4 67.4 6.9	LOWARM I WAIST B FOREARM	10.1 11.5 C 11.3
(WEIGHT IN LBS, LENGTH IN INCHES,	POMENT OF	INERTIA IN	LB-IN-ISE	(C)SQ)		
SUBJECT NUMBER 41 AGE 26.1	STATURE (	58.8 WE	IGHT 150.	7		
POSITION	L ( X )	L(Y)	L(Z)	[(X)	I{Y}	I (Z)
1 STANDING, ARMS OVER HEAD 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	332+01 332+01 315+01 805+01 772+01 708+01 807+01 713+01	425+01 425+01 425+01 425+01 425+01 425+01 425+01 425+01	313+02 285+02 290+02 265+02 268+02 232+02 271+02 265+02	110+03 148+03 145+03 560+02 549+02 348+02 574+02 875+02	990+02 137+03 109+03 614+02 605+02 848+02 680+02 894+02	850+01 989+01 345+02 295+02 295+02 210+02 318+02 327+02
CERVIC H 58.6 SHLDR H 56.4 ILIAC H 39.2 TROCHAN H 35.0 CHEST D 9.1 MAIST D 7.5 HIP B 12.6 AXILARM C 11.6 WRIST C 6.9 FIST C 11.6 THIGH C 20.5 LOWTHIGH C 15.6 SPHYRI H 2.6 FOOT L 10.4 BIACROM D 13.5 HIP B SIT 13.3 HEAD C 22.9 HEAD L 8.0 TRICEP S 0.2 BISPIN B 8.5	TIBIALE BUTT D BICEP C CHEST C KNEE C FOOT D	9.3 10.8 38.7 15.0 3.9	SUBSTERI UPARM L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S	N H 47.1 13.8 13.1 10.2 29.3 14.7 72.2 7.3 0.2	WAIST H LOWARM L WAIST 8 FOREARM ( RUTT C ANKLE C SIT H HAND 8 JUXTA S	42.7 10.7 10.7 10.9 36.8 9.1 35.7 3.7 0.1
(WEIGHT IN LBS, LENGTH IN INCHES, N	CMENT OF I	NERTIA IN	LR-IN-(SEC	150)		
SUBJECT NUMBER 42 AGE 30.3	STATURE 68	3.8 WEI	GHT 168.3			
POSITION	LEXI					
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARNS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 PELAVE CONFIGURATION	334+01 347+01 308+01 763+01 741+01 688+01 775+01		114+02 291+02 286+02 273+02 277+02 237+02 237+02 276+02	1(X) 115+03 151+03 149+03 619+02 625+02 389+02 674+02 993+02	1(Y) 104+03 139+03 112+03 671+02 671+02 415+02 769+02 932+02	1(1) 106+02 127+02 357+02 328+02 533+02 260+02 356+02 380+02
CERVIC H 58.3 SHLDR H 56.6  IL IAC H 37.3 TROCHAN H 37.2  CHEST D 9.3 MAIST D 8.8  HIP B 13.9 MAIST C 13.2  WRIST C 7.1 FIST C 11.2  THIGH C 22.5 LOWTHIGH C 16.3  SPHYRI H 2.6 FOUT L 10.5  BIACROM D 12.8 HIP B SIT 14.6  HEAD C 23.1 HEAD L 7.8  TRICEP S 0.4 BISPIN B 10.5  (MEIGHT IN 185. LENCTH IN 185.5	BUTPOP L	H 56.0 1 18.6 9.9 11.9 41.3 15.6 4.2 19.0 6.7	SUBSTERN UPARM L CHEST B ELBGW C MAIST C CALF ( SPAN HAND L MALX S	13.0 14.0 11.1 32.7 15.5 68.8 7.7	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	43.0 9.5 11.3 11.7 39.0 9.1 36.5 3.5 0.4

SUBJECT NUMBER 43 AGE 33	.4 STATURE 6	56.3 WEI	GHT 164.4			
POSITION	L(X)	L(Y)	L(Z)	I(X)	1(7)	1(2)
1 STANDING 2 STANDING, ANNS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	364+01 352+01 343+01 766+01 743+01 714+01 771+01 722+01	482+01 482+01 482+01 482+01 482+01 482+01 482+01 482+01 482+01	296+02 276+02 274+02 259+02 261+02 225+02 267+02 268+02	105+03 133+03 131+03 595+02 576+02 376+02 624+02 920+02	894+02 114+63 983+02 589+02 626+02 384+02 690+02 856+02	121+02 115+02 302+02 301+02 298+02 259+02 321+02 356+02
CERVIC H 56.4 SHLDR H ILIAC H 36.3 TROCHAN H CHEST D 10.3 MAIST D HIP B 13.5 AXILARM C MRIST C 7.3 FIST C THIGH C 22.5 LOWTHIGH C SPHYRI H 2.4 FOOT L BIACROM D 12.6 HIP B SIT HEAD C 22.2 HEAD L TRICEP S 0.5 BISPIN B	54.7 SUPSTEF 33.1 TIBIALE 9.2 BUTI D 13.8 BICEP C 12.1 CHEST CHEST 16.2 KNEE C 10.2 FOOT B 14.4 BUTPOP 7.8 HEAD 8	17.5 9.8 12.2 40.2 15.9 4.1 L 19.0 5.9	SUBSTERN UPARM L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S	13.0 13.1 11.3 34.6 14.8 66.1 7.0 0.6	WAIST H LOWARN L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	41.9 9.5 12.3 11.4 39.2 9.2 34.8 0.6
(WEIGHT IN LBS, LENGTH IN INC	HES, MUPENI OF I	INERTIA IN I	LB-IN-(SEC	1501		
SUBJECT NUMBER 44 AGE 51	5 STATURE 7	'0.7 WEI	GHT 206.9			
POSITION	L(X)	L(Y)	L(Z)	1(x)	1(4)	1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	365+01 365+01 360+01 833-01 810+01 764+01 829+01 763+01	\$82+01 \$82+01 \$82+01 \$82+01 \$82+01 \$82+01 \$82+01 \$82+01	322+02 296+02 300+02 272+62 274+02 242+02 277+02 288+02	141+03 163+03 183+03 713+02 704+02 490+02 795+02 114+03	125+03 170+03 135+03 782+02 852+02 450+02 912+02 108+03	150+02 157+02 389+02 440+02 448+02 348+02 435+02 436+02
CERVIC H   59.7   SHLDK H	\$8.9 SUPSTER 35.7 TIBIALE 10.2 BUTT D 14.8 BICEP C 12.4 CHEST C 18.1 KNEE C 10.9 FGGT 8 16.8 BUTPGP 8.4 HEAD B 9.6	11.9 11.9 12.9 46.7 16.5 3.9	SUBSTERN UPARM L CHEST B ELBOW C MAIST C CALF C SPAN HAND L MALX S	H 48.6 14.9 15.4 11.3 37.8 17.0 72:5 7.3	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT !! HAND B JUXTA S	44.3 10.4 13.3 11.7 45.0 9.5 35.7 3.5 0.7
(WEIGHT IN LBS. LENGTH IN INCH	IES, MOMENT OF I	NERTIA IN L	B-IN-(SEC	(SQ)		
SUBJECT NUMBER 45 AGE 40.	8 STATURE 7	0.9 wEIG	GHT 151.3			
POSITION	L(x)	L ( Y )	LEZI	1(X)	1(4)	1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DAWN 6 SITTING, FOREARMS DAWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 PELAXEC (WEIGHTLESS)	335+01 351+01 522+01 828+01 003+01 743+01 817+01 759+01	#0#+01 #0#+01 #0#+01	273+02 233+02 274+02	110+03 145+03 149+03 566+02 569+02 380+02 619+02 848+02	775+02	880+01 103:02 340+02 338+02 329+02 250+02 325+02 343+02
CERVIC H 60.7 SHLDR H ILIAC H 40.6 TRUCHAN H CHEST D 8.7 MAIST D HIP B 12.8 AXILARM C MAIST C 5.7 FIST C THIGH C 20.4 LOWTHIGH C SPHYRI H 2.8 FOOT L SPHYRI H 2.8 FOOT L BEAD C 23.4 HEAD L TRICEP S 0.3 BISPIN B	60.4 SUPSTER! 37.1 1181ALE 8.1 BUTT D 11.4 BICEP C 11.2 CHEST C 14.8 KNEE C 10.7 FOOT B 13.8 BUTPOP L 8.4 HEAD B	H 20.2 9.4 10.4 36.2 14.6 3.7	SUBSTERN UPARM L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S	H 49.6 14.3 11.6 9.7 30.3 14.2 70.3 7.5	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	46.3 10.4 10.6 10.2 36.8 8.6 36.7 3.4

SUBJECT NUMBER 46 AGE 32.2	STATURE 6	1.7.1 WEIC	SHF 174.7			
POSITION	L(X)	L(Y)	L(Z)	1(X)	[(Y)	1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	376+01 369+01 366+01 795+01 752+01 781+01 781+01 693+01	498+01 498+01 498+01 498+01 498+01 498+01 498+01	294+02 270+02 268+02 257+02 261+02 218+02 262+02 262+02	108+03 137+03 143+03 581+02 635+02 390+02 634+02 880+02	940+02 134+03 110+03 635+02 635+02 390+02 650+02 853+02	115+02 123+02 323+02 339+02 337+02 279+02 349+02 361+02
CERVIC H 57.9 SHLDR H ILIAC H 36.2 TRUCHAN H CHEST D 9.9 WAIST D HIP B 14.2 AXILARM C WRIST C 7.0 FIST C THIGH C 23.6 LOWINIGH C SPHYRI H 2.7 FOOT L BIACROM D 12.0 HIP B SIT HEAD C 22.9 HEAD L TRICEP S 0.9 BISPIN B  (WEIGHT IN LBS, LENGTH IN INCH	55.9 SUPSTE: 34.5 TIBLAL: 9.5 BUTT 0 13.2 BICEP. 10.6 CHEST. 15.7 KNEE C. 10.3 F00T B 15.7 BUTPOP. 7.9 HEAD B	E H 18.3 11.8 C 11.7 C 42.3 15.2 3.5 L 19.5	SUBSTERN UPARM L CHEST B ELBGW C WAIST C CALF C SPAN HAND L MALX S LB-IN-(SEC	14.1 14.0 10.6 36.4 14.7 71.6 7.5	WAIST H LGWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	44.1 10.6 12.7 10.8 43.7 9.0 34.6 3.3
(WEIGHT IN EDGY ELINGTH IN THE						
SUBJECT NUMBER 47 AGE 19.	5 STATURE	73.4 WE	GHT 157.1			
POSITION	L(X)	L(Y)	L(I)	1(x)	[(Y)	1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	314+01 294+01 293+01 793+01 780+01 740+01 786+01 733+01	598+01 598+01 598+01 598+01 598+01 598+01 598+01 598+01	338+02 315+02 311+02 291+02 294+02 251+02 298+02 302+02	122+03 158+03 160+03 658+02 676+02 429+02 714+02 972+02	108+03 145+03 124+03 724+02 726+02 418+02 855+02 962+02	101+02 946+01 420+02 345+02 352+02 283+02 339+02 373+02
CERVIC H 62.8 SHLDR H ILIAC H 40.0 TROCHAN H CHEST D 9.0 WAIST D HIP 8 14.2 AXILARN C WRIST C 6.4 FIST C THIGH C 21.9 LOWTHIGH C SPHYRI H 2.6 FOOT L BIACROW D 12.8 HIP B SIT HEAD C 22.6 HEAD L TRICEP S 0.3 DISPIN B	61.0 SUPSTE 38.0 TIBIAL 8.1 BUTT D 10.8 GICEP 10.6 CHEST 15.2 KNEE C 11.3 FOOT B 15.0 BUTPOP 7.9 HEAD B 12.0	E H 17.6 9.4 C 10.5 C 36.8 15.4 3.7 C 20.5	SUBSTERN UPARM L CHEST B ELBOW C WALT C CALF C SPAN HAND L MALX S	14.1 12.5 10.1 32.0 14.9 71.8 7.3 0.4	WAIST H LGMARM L WAIST B FORMARM C BUTT C ANKLE C SIT H HAND B JUXTA S	45.1 10.6 11.1 10.0 39.6 8.9 38.6 3.3 0.3
SUBJECT NUMBER 48 AGE 24.	6 STATURE	70.4 WEI	GHT 141.9			
POSITION	L(X)	L(Y)	L(2)	I(X)	1(4)	(5)1
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	349+01 372+01 320+01 791+01 766+01 592+01 781+01 711+01	465+01 465+01 465+01 465+01 465+01 465+01 465+01 465+01	320+02 296+02 290+02 275+02 278+02 241+02 282+02 280+02	106+03 141+03 138+03 595+02 571+02 361+02 649+02 880+02	920+02 126+03 986+02 620+02 673+02 371+02 753+02 860+02	101+02 941+01 354+02 301+02 308+02 213+02 301+02 311+02
CERVIC H 60.3 SHLDR H ILIAC H 38.9 TROCHAN H CHEST D 9.8 WAIST D HIP B 13.5 AXILARN C WRIST C 6.6 FIST C THIGH C 19.5 LOWTHIGH C SPHYRI H 2.9 FOOT L BIACROM D 13.7 HIP B SIT HEAD C 21.9 HEAD L BISPIN B	59.1 SUPSTE 35.8 TIBIAL 7.7 BUTT D 10.7 BICEP. 10.6 CHEST 14.0 KNEE C 10.6 FOOT B 13.5 BUTPOP 7.6 HEAD B 9.3	E H 18.6 9.1 C 9.9 C 35.4 14.3 3.7	SUBSTERN UPARM L CHEST B ELBGW C WAIST C CALF C SPAN HAND L MALX S	H 50.0 14.3 11.9 10.0 29.3 13.6 71.5 7.7	WAIST H LOWARM L WAIST B FOREARM C BUTI C ANKLE C SIT H HAND B JUKTA S	44.4 10.7 10.2 10.1 36.3 8.8 36.7 3.6

SUBJECT NUMBER	49 AGE 38.	2 STATURE	68.7 WEI	GHT 166.3			
POSITI	ON	£(x)	L(Y)	L(Z)	I(X)	1(4)	T(2)
1 STANDING 2 STANDING, ARMS 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREA 6 SITTING, THIGH 7 MERCURY CONFIG 8 RELAXED IWEIGH	RMS DOWN IS ELEVATED URATION	397+01 370+01 333+01 826+01 801+01 741+01 718+01	486+01 486+01 486+01 486+01 486+01 486+01 486+01 486+01	307+02 283+02 275+02 266+02 268+02 227+02 271+02 266+02	113+03 143+03 151+03 602+02 638+02 367+02 703+02 852+02	940+02 121+03 108+03 584+02 648+02 359+02 743+02 876+02	140+02 116+02 372+02 555+02 348+02 265+02 338+02 340+02
CERVIC H 58.0 ILIAC H 38.1 CHEST D 9.6 HIP B 13.6 WRIST C 6.7 THIGH C 21.2 SPHYRI H 2.5 BIACROM D 12.4 HEAD C 23.2 TRICEP S 0.1	TROCHAN H MAIST D AXILARM C FIST C LOWTHIGH C FOOT L HIP B SIT HEAD L BISPIN B	56.7 SUPSTE 35.1 TIBIAL 9.8 BUTT O 13.0 BICEP 11.8 CHEST 15.6 KNEE C 10.8 FOOT B 15.0 SUPPOP 8.1 HEAD B 9.7	E H 18.8 10.4 C 11.9 C 38.0 15.8 3.9 L 19.9 6.3	SUBSTERN UPARM L CHEST B EL60W C WAIST C CALF C SPAN HAND L MALX S LB-1N-(SEC	13.7 13.1 10.7 35.0 15.4 71.2 7.7	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	43.6 10.6 12.2 11.2 39.0 3.8 35.6 3.6
SUBJECT NUMBER	50 AGE 30.			GHT 190.6			
P651T	LUN	L(X)	L(Y)	L(Z)	t(x)	(Y)1	1(2)
1 STANDING 2 STANDING, ARM: 3 SPREAD EAGLE 4 SITTING 5 SITTING, FORE/ 6 SITTING, THIG 7 MERCURY CONFIG 8 RELAXED (WEIG)	S OVER HEAD  ARMS DOWN HS ELEVATED GURATION	362+01 347+01 337+01 899+01 870+01 628+01 885+01 788+01	463+01 463+01 463+01 463+01 463+01 463+01 463+01	338+02 309+02 310+02 282+02 288+02 241+02 269+02 285+02	160+03 209+03 217+03 758+02 786+02 461+02 815+02 113+03	146+03 196+03 160+03 943+02 426+02 111+03 118+03	135+02 127+02 544+02 466+02 465+02 373+02 469+02 482+02
CERVIC H 45.1 ILIAC H 45.1 CHEST D 9.1 HIP B 14.1 WRIST C 7.1 THIGH C 23.1 SPHYRI BIACROM D 12.1 HEAD C 22.1 TRICEP S 0.3	TRUCHAN M MAIST D A AXILARM C FIST C LUMTHIGH C FOUT L HIP B SIT HEAD L B BISPIN B	63.7 SUPSTE 39.9 TIRIAL 8.3 BUTT C 12.5 61CEP 12.1 CHEST 16.5 KNEE C 12.1 POUT S 14.8 BUTPOP 8.1 HEAD B 9.3	E H 21.9 10.4 C 12.2 C 38.6 16.1 3.9 L 22.0	SUBSTERN UPARM L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S LB-IN-ISEC	15.6 13.4 11.7 32.5 14.9 78.6 8.4 0.2	WAIST H' LOMARN L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	48.7 12.3 11.8 12.2 40.6 9.3 36.8 3.8
SUBJECT NUMBER	51 AGE 49	6 STATURE	68.6 WEI	GHT 169.8			
POSIT	ION	L(x)	L(Y)	L(Z)	1(x)	I( <b>Y</b> )	(3)1
1 STANDING 2 STANDING, ARMS 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREA 6 SITTING, THIGG 7 MERCURY CONFIG 8 RELAXED [WEIGH	HMS DOWN IS ELEVATED GURATION	372+01 357+01 337+01 788+01 768+01 715+01 793+01 719+01	463+01 463+01 463+01 463+01 463+01 463+01 463+01 463+01	314+02 288+02 286+02 268+02 273+02 235+02 280+02 278+02	119+03 155+03 150+03 595+02 645+02 6410+02 693+02 925+02	101+03 141+03 117*03 686+02 649+02 426+02 756+02 843+02	137+02 113+02 345+02 335+02 345+02 279+02 352+02 358+02
CERVIC H 60.0 ILIAC H 39.3 CHEST D 9.6 HIP B 14.2 MRIST C 11.2 THIGH C 39.0 SPEYRI H 2.6 BIACROM C 12.8 TRICEP S 0.5	TROCHAN H WAIST D AXILARM C FIST C LOWTHIGH C FOOT L HIP B SIT HEAD L	58.5 SUPSTE 38.0 TIBIAL 9.4 BUTT 0 12.9 BICEP 11.4 CHEST 15.6 KNEC C 10.7 FGGT B BUTPOP 7.7 HEAD B 9.3	E H 18.8 9.8 C 12.3 C 37.4 15.4 3.9 L 20.3	SUBSTERN UPARH L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S	H 50.1 13.1 13.5 10.6 38.6 14.2 69.9 7.6 0.5	HAIST H LOWARM L HAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	45.6 11.1 12.4 10.9 39.4 9.1 35.3 3.8 0.4

SUBJECT NUMBER 52 AGE 31	2 STATURE	73.2 WE	IGHT 197.8	3		
POSITION	L(X)	L(Y)	L(Z)	112)	117)	1(1)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DUMN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (MEIGHTLESS)	366+01 354+01 350+01 772+01 752+01 697+01 777+01	528+01 528+01 528+01 528+01 528+01 528+01 528+01 528+01	320+02 294+02 295+02 282+02 287+02 246+02 287+02 289+02	140 +03 194 +03 187 +03 828 +02 829 +02 560 +02 880 +02 118 +03	123+03 171+C3 141+C3 898+02 814+02 547+02 198+02 108+03	140+02 125+02 462+02 401+02 407+02 309+02 396+02 426+02
CERVIC H 62.6 SHLDR H ILIAC H 40.4 TRGCHAN H CHEST D 10.2 WAIST D HIP B 14.5 AXILARM C WAIST C 7.6 FIST C THIGH C 24.2 LGWTHIGH C SPHYRI H 3.3 FGGT L BIACROM D 13.3 HIP B SIT HEAD C 22.6 HEAD L TRICEP S 0.6 BISPIN B	35.9 T181/ 10.3 BUTT 14.2 BICE 11.1 CHES1 17.3 KNEE 10.9 FOOT 15.7 BUTP 7.9 HEAD	7 C 12.2 C 42.0 C 16.3 B 4.1 3P L 19.8 B 6.2	UPARM L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S	15.3 13.8 11.2 36.0 14.5 75.1 7.9	WAIST H LOWARM L WAIST B FOREARM I BUIT C ANKLE C SIT H HAND B JUXTA S	46.9 11.2 12.8 11.4 41.7 9.2 38.9 3.5
SUBJECT NUMBER 53 AGE 23.	7 STATURE	76.2 WE	[GHT 193.6	<b>,</b>		
POSITION	L(X)	L(Y)	L(Z)	1(x)	1(4)	1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXEC (WEIGHTLESS)	335+01 332+01 328+01 844+01 821+01 763+01 846+01 783+01	498+01 498+01 498+01 498+01 498+01 498+01 498+01 498+01	351+02 323+02 305+02 292+02 297+02 245+02 296+02 302+02	165+03 218+03 221+03 836+02 840+02 510+02 873+02 118+03	145+03 208+03 172+03 101+03 969+02 502+02 112+03 122+03	134+02 130+02 584+02 442+02 447+02 348+02 463+02
CERVIC H 65.9 SHLDR H ILIAC H 43.5 TROCHAN H CHEST D 8.9 MAIST D HIP B 15.2 AXILARM C WRIST C 7.4 FIST C THIGH C 23.3 LOWHHIGH C SPHYRL H 3.0 FOC L BIACROM C 12.4 HIP B SIT HEAD C 23.1 HEAD L IRICEM S 0.5 BISPIN B	63.6 SUPST 8.6 BUTT 12.2 BICEP 12.9 CHEST 15.8 KNEE 11.8 FOOT 15.6 BUTPO 8.4 HEAD	D 10.4 C 11.4 C 39.0 C 15.6 B 4.3 P L 22.5	SUBSTERN UPARM L CHEST B ELBON C HAIST C CALF C SPAN HAND L MALX S	H 53.3 16.1 13.7 11.2 35.0 15.5 80.7 8.2 0.5	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	48.8 11.8 13.0 11.2 41.5 9.3 37.7 3.6
(WEIGHT IN LBS, LENGTH IN INCH	ES. MOMENT OF	INERTIA IN	LB-IN-(SEC	1501		
SUBJECT NUMBER 54 AGE 32.	O STATURE	70.7 WE	GHT 174.6			
POSITION	L(X)	L(Y)	L(Z)	I(X)	I(Y)	I (Z)
1 STANDING 2 STANDING- ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED [WEIGHTLESS]	346+01 344+01 327+01 799+01 7,1+01 726+01 804+01 727+01	469+01 469+01 469+01 469+01 469+01 469+01 469+01	309+02 286+02 288+02 266+02 271+02 234+02 271+02 274+02	120+03 160+03 160+03 640+02 660+02 392+02 664+02 933+02	113+03 139+03 120+03 718+02 696+02 357+02 759+02 878+02	119+02 114+02 371+02 351+02 350+02 284+02 360+02 357+02
CERVIC H 60.3 SHLDR H ILIAC H 40.5 TRUCHAN H CHEST D 9.5 MAIST D HIP B 13.7 AXILARM C MPIST C 6.5 FIST C THIGH C 23.2 LOWTHIGH C SPHYRI M 3.0 FOUT L BIACROM D 13.3 HIP B SIT HEAD C 23.3 HEAD L TRICEP S 0.7 BISPIN B	58.1 SUPSTE 36.2 TIBIAL 9.3 BUTT C 12.8 BICEP 11.2 CHESI 15.9 KNEE C 10.7 FOOT B 14.7 BUTPOR 8.2 HEAD B	LE H 19.7 11.1 C 12.3 C 39.0 15.7 3.8 L 20.0	SUBSTERN UPARM L CHEST B ELBSW C WAIST C CALF C SPAN HAND L MALX S	H 49.3 13.8 13.3 11.0 34.1 15.7 72.6 7.6 0.5	WAIST H LØWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	45.0 10.9 11.6 11.3 39.4 8.8 35.0 3.4 0.5
Aug being and and a comment						

SUBJECT	NUMBER	55 AC	GE 34.7	7	STATURE	69.7	₩E 1	IGHT 1	50.0			
	POSIT	ION			L(X)	Lty	1	L(Z)	ı	[(x)	(4)1	1(2)
3 SPREAM 4 SITTIM 5 SITTIM 6 SITTIM 7 MERCUM	ING, ARM D EAGLE NG, FORE/ NG, THIGH	S OVER HE ARMS DOWN HS ELEVAT GURATION HTLESS)	i ED		343+01 337+01 341+01 791+01 764+01 707+01 770+01 738+01	4534 4534 4534 4534 4534 4534 4534	01 01 01 01 01	314+0 285+0 282+0 264+0 266+0 229+0 270+0	)2 )2 )2 )2 )2	111+03 151+03 149+03 600+02 600+02 355+02 651+02 859+02	928+02 134+03 116+03 646+02 713+02 374+02 790+02 862+02	988+01 915+01 350+02 296+02 296+02 219+02 294+02 343+02
CERVIC I ILIAC H CHEST D HIP B WRIST C THIGH C SPHYRI I BIACROM HEAD C TRICEP	39.0 9.6 13.6 20.1 3.6 C 13.8 22.6	TRUCH WAIST AXILA FIST LUMTH FUNT HIP 8 HEAD BISPI	IAN H I D LRM C C IIGH C L I SIT L N B	58.0 36.2 8.3 11.8 11.9 15.0 10.8 13.7 8.0 9.1	SUPSTE TIBIAL BUTE BUCEP CHEST KNEE C FOOT E BUTPOF HEAD E	C C	57.1 19.9 9.2 10.9 37.8 15.1 3.9 19.9 6.1	UPAR CHES EL 86 WAIS CALF S PAN HAND MALX	T B IN C IT C	13.8 12.5 11.2 30.7 14.6 72.1 7.7	FOREARM C BUTT C ANKLE C SIT H HAND 8	44.7 11.1 10.5 11.2 36.1 8.8 35.4 3.7
INEIGHI	IN CB2+	LENGTH I	N INCHE	5, M	OMENT OF	INEKTI	A IN	FR-IN-	(SEC	1801		
SUBJECT	NUMBER	56 AG	E 42.0	. :	STATURE	63.4	WEI	GHT 1	59.5			
	POSITI	ION			L(X)	L{Y	1	L(Z)		(x)	1(4)	1(2)
3 SPREAD 4 SITTIN 5 SITTIN 6 SITTIN 7 MERCUR	NG. ARMS EAGLE IG. FOREA IG. THIGH	GOVER HE RMS DOWN IS ELEVAT FURATION ITLESS)	€D		364+01 352+01 353+01 721+01 701+01 674+01 717+01 653+01	508+ 508+ 508+ 508+ 508+ 508+ 508+	01 01 01 01 01	280+0 260+0 254+0 250+0 254+0 257+0 253+0	2 2 2 2 2 2 2	900+02 124+03 115+03 522+02 541+02 362+02 564+02 728+02	755+02 104+03 890+02 562+02 545+02 370+02 567+02 721+02	113+02 100+02 290+02 276+02 278+02 222+02 285+02 294+02
CERVIC H ILIAC H CHEST D HIP B WRIST C THIGH C SPHYRI H BIACROM HEAD C TRICEP S	54.4 9.8 13.5 6.7 23.3 2.4 0 15.7 23.0 0.5	TROCH. WAIST AXILA FIST LOWTH FOOT HIP B HEAD BISPI	AN H D RM C C IGH C L SII L	52.5 31.9 9.6 13.1 11.8 15.9 10.1 13.8 7.8 10.2	SUPSTE TIGIAL BUTT D BICEP KNEE C FOOT B BUTPOP HEAD B	E H C C	52.0 16.4 10.4 12.2 39.6 15.0 3.5 16.9 6.5	UPAR CHES ELBG WAIS CALF SPAN HAND MALX	T B W C F C C	12.4 13.0 11.0 35.2 14.0 64.8 7.3	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	39.5 9.6 12.2 11.3 38.4 8.1 33.6 3.5
(WE IGHT	IN LBS,	LENGTH II	N INCHE	s, №0	MENT OF	INERTI	ln I	L8-IN-	(SEC)	501		
SUBJECT	NUMBER	57 AGI	E 38.2	\$	TATURE	67.6	WEI	GHT 1	51.4			
	POSITI	ON			L(X)	LIV	ļ	L(Z)		I(X)	[{Y}	1(2)
3 SPREAD 4 SITTIN 5 SITTIN	NG, ARMS EAGLE G G, FOREAI G, THIGH Y CONFIG	S ELEVATE Uratiun			367+01 422+01 347+01 820+01 801+01 772+01 827+01 775+01	419+0 419+0 419+0 419+0 419+0 419+0	) ] ) ]   ]   ]   ]	301+0; 285+0; 279+0; 253+0; 253+0; 258+0; 260+0; 257+0;		103+03 134+03 137+03 513+02 534+02 308+02 562+02 833+02	955+02 111+03 902+02 521+02 642+02 273+02 686+02 766+02	112+02 110+02 329+02 317+02 321+02 266+02 333+02 332+02
CERVIC H ILIAC H CHEST D HIP B WRIST C THIGH C SPHYRI H BIACROM I HEAD C TRICEP S	57.2 39.6 10.6 13.9 10.3 23.9 2.5 12.4 22.0	SHLDR TROCHA WAIST AXILAR FIST C LOWTHI FOOT L HIP B HEAD L BISPIN	AN H 3 D RM C 1 I GH C 1	66.5 15.2 9.2 12.4 11.2 16.1 10.2 7.2 8.4	SUPSTER TIBIALE BUTT D BICEP C CHEST C KNEE C FOOT B BUTPOP HEAD B	H 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5.0 7.4 9.3 1.7 9.6 4.5 3.6 0.2	SUBST UPARN CHEST ELBON WAIST CALF SPAN HAND MALX	L C C C L	H 48.8 13.6 13.1 11.0 34.3 15.1 67.7 7.1 0.5	WAIST H LOWARM L WAIST H FOREARM C HUTT C ANKLE C SIT H HAND B JUXTA S	43.7 10.5 12.0 10.9 39.4 9.2 33.0 3.6 0.4

SUBJECT NUMBER 58 AGE 3	8.0 STATURE	70.4 hEI	GHT 168.5	
POSITION	L(X)	L(Y)	L(2) I(X)	I(Y) I(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXEC (WEIGHTLESS)	346+01 348+01 316+01 761+01 785+01 769+01 779+01 728+01	469+01 469+01 469+01 469+01 469+01 469+01 469+01 469+01	312+02 114+03 288+02 156+03 399+02 151+03 259+02 597+02 255+02 616+02 233+02 370+02 262+02 607+02 277+02 899+02	108+03 111+02 141+03 109+02 119+03 358+02 691+02 350+02 662+02 347+02 374+02 277+02 725+02 340+02 879+02 359+02
CERVIC H 60.6 SHLDR H ILIAC H 38.9 TROCHAN H CHLST D 9.4 WAIST D MIP B 13.7 AXILARM C THIGH C 23.0 LOWTHIGH SPPYRI H 2.7 FOOT L BIACROM D 12.2 HIP B SIT MEAD C 22.0 HEAD L TRICEP S 0.6 BISPIN B	36.2 TIBIA 9.2 BUTT 12.6 BICEP 11.5 CHEST C 16.1 KNEE 10.1 FOOT 14.2 BUTPO 7.7 HEAD	D 11.0 C 11.2 C 38.4 C 15.7 B 3.9 P L 20.4 B 6.1	SUBSTERN H 49.4 UPARM L 14.3 CHEST B 13.4 ELBOW C 10.8 MAIST C 33.3 CALF C 14.3 SPAN 69.4 HAND L 7.4 MALX S 0.8 LB-IN-(SECISO)	WAIST H 45.7 LOMARM L 10.4 WAIST B 11.6 FOREARM C 11.2 BUTT C 39.8 ANKLE C 8.9 SIT H 35.9 HAND 8 3.4 JUXTA S 0.8
SUBJECT NUMBER 59 AGE 3	6.4 STATURE	72.0 WEI	GHT 179.1	
POSITION	L(X)	L(Y)	L(Z) I(X)	1(4) 1(5)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (MEIGHTLESS)	356+01 344+01 319+01 851+01 822+01 744+01 829+01 777+01	474+01 474+01 474+01 474+01 474+01 474+01 474+01	326+02 130+03 302+02 177+03 298+02 178+03 278+02 698+02 278+02 619+02 240+02 421+02 284+02 725+02 282+02 105+03	120+03 115+02 159+03 117+02 145+03 420+02 807+02 399+02 865+02 399+02 402+02 292+02 898+02 388+02 101+03 408+02
CERVIC H 61.5 SHLDR H ILIAC H 40.9 TRØGHAN H CHLST D 9.2 HAIST D HIP B 14.2 AXILARM C MRIST C 6.9 FIST C THIGH C 22.4 LØWTHIGH SPHYRI H 2.8 FØØT L BIACRØM D 13.0 HIP B SIT HEAD C 23.4 HEAD L TRICEPS 0.6 BISPIN B	37.1 TIBIA 8.4 BUTT 13.0 BICEP 12.0 CHEST C 16.5 KNEE 10.8 FOOT 14.8 BUTPO 8.2 HEAD	D 10.0 C 12.3 C 39.4 C 16.5 B 4.3 P L 20.4 B 6.2	SUBSTERN H 49.8 UPARM L 14.4 CHEST B 13.5 ELBOW C 11.3 MAIST C 33.0 CALF C 15.6 SPAN 72.8 HAND L 7.6 MALX S 0.5 LB-IN-(SECISQ)	MAIST H 45.6 LGWARM L 10.7 MAIST B 11.9 FOREARM C 11.7 BUTT C 39.8 ANKLE C 9.3 SIT H 37.2 HAND B 3.7 JUXTA S 0.5
SUBJECT NUMBER 60 AGE 3	31.0 STATURE	65.5 WEI	GHT 134.4	
POSITION	L(X)	L(Y)	L(Z) 1(X)	[(Y) ] [(Z)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THICHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	345+01 364+01 325+01 727+01 715+01 660+01 735+01 715+01	153+01 153+01 153+01 153+01 153+01 153+01 153+01 153+01	288+02	752+02 673+01 101+03 617+01 819+02 267+02 474+02 237+02 530+02 234+02 291+02 178+02 519+02 255+02 674+02 284+02
CERVIC H 55.8 SHLDR H ILIAC H 36.7 TROCHAN H CHEST D 8.8 MAIST D HIP B 12.8 AXILARM C WRIST C 6.2 FIST C THIGH C 20.0 LOWTHIGH SPHYRI H 2.4 FOOT L BIACROM D 12.1 HIP B SIT HEAD C 22.0 HEAD L TRICEP S 0.5 BISPIN B	33.9 TIBÍA 8.2 BUTT: 12.1 BICEP 10.2 CHEST C 13.7 KNEE ( 10.0 FOOT)	D 9.5 C 10.8 C 36.2 C 14.1 B 3.5 P L 18.7	SUBSTERN H 46.1 UPARM L 13.0 CHEST B 12.0 ELBOW C 9.9 WAIST C 31.5 CALF C 12.4 SPAN 67.6 HAND L 7.0 MALX S 0.8	WAIST H 41.0 LOWARM L 10.0 MAIST A 11.2 FOREARM C 9.6 BUTT C 36.2 .ANKLE C 7.9 SIT H 34.4 HAND B 3.2 JUKTA S 0.7

SUBJECT NUMBER	4.3	AGE MO.O	STATURE	75.3	WEIGHT	199.5
SUDJECT MUMBER	01	AUC AUTO	SIMIUNE	13.3	ME LOUIT	

POSITION	L(X)	L(Y) L(Z)	1(X)	1(Y)	1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	357+01 5 355+01 5 847+01 5 816+01 5 766+01 5 839+01 5	10+01 329+0 10+01 298+0 10+01 298+0 10+01 285+0 10+01 285+0 10+01 243+0 10+01 290+0 10+01 285+0	2 207+03 2 210+03 2 834+02 2 821+02 2 506+02 2 879+02	139+03 195+03 155+03 903+02 990+02 440+02 104+03 120+03	136+02 145+02 537+02 450+02 448+02 344+02 434+02 484+02
ILIAC H 43.2 TROCHAN H CHEST D 10.3 WAIST D HIP B 14.5 AXILARM C WRIST C 7.4 FIST C THIGH C 22.8 LGWTHIGH C SPHYRI H 3.0 FGUT L BIACROM D 13.9 H P B SIT HEAD C 22.9 HEAD L	52.3 SUPSTERN: 10.5 BUTT D 13.1 BICEP C 12.6 CHEST C 10.7 FOOT B 15.9 BUTPOP L 7.7 HEAD B		T B 13.5 W C 11.6 T C 37.1 C 15.0 78.6 L 8.1 S 0.8	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	48.9 11.4 12.5 11.9 41.9 9.2 37.5 3.8 0.7

### SUBJECT NUMBER 62 AGE 32.3 STATURE 69.9 WEIGHT 178.9

1	POSITIO	N		L(X) L(	Y)	L(Z)	[X]]	I(Y)	1(2)
1 STANDING 2 STANDING 3 SPREAD E 4 SITTING 5 SITTING 6 SITTING 7 MERCURY 8 RELAXEC	AGLE FOREARI THIGHS CONFIGUR	MS DOWN Elevated Ration		373+01 451 346+01 451 788+01 451 768+01 451 723+01 451 795+01 451	+01 +01 +01 +01 +01 +01 +01	314+02 291+02 292+02 266+02 269+02 234+02 267+02 281+02	122+03 162+03 162+03 646+02 618+02 427+02 671+02 954+02	107+03 142+03 119+03 647+02 702+02 379+02 794+02 934+02	121+02 130+02 410+02 325+02 336+02 275+02 349+02 565+02
CERVIC H ILIAC H CHEST D HIP B WRIST C THIGH C SPHYRI H BIACROM D HEAD C TRICEP S	59.6 38.8 10.0 13.6 6.9 24.4 2.6 13.4 23.0	SHLDR H TROCHAN H MAIST D AXILARM C FIST C LOMTHIGH C FOGT L HIP B SIT HEAD L BISPIN B	57.5 35.0 8.8 13.2 11.2 10.6 14.7 8.1 9.0	SUPSTERN H TIBIALE H BUTT D BICEP C CHEST C KNEE C FOOT B BUTPOP L HEAD B	56.9 19.2 10.5 11.7 41.7 15.2 3.7 19.6 6.1	SUBSTERN UPARM L CHEST B ELBOW C MAIST C CALF C SPAN HAND L MALX S	H 47.9 13.8 13.1 10.3 34.2 15.4 72.2 7.7 0.8	WAIST H LOMARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXFA 5	44.7 10.9 12.2 10.6 40.2 9.3 36.9 0.8

(WEIGHT IN LBS, LENGTH IN INCHES, MOMENT OF INERTIA IN LB-IN-(SEC)SQ)

# SUBJECT NUMBER 63 AGE 28.7 STATURE 73.9 WEIGHT 181.2

	POSITIA	N		L(X)	.(Y)	L(2)	1(x)	(Y)1	1(1)
1 STANDING 2 STANDING 3 SPREAD E 4 SITTING 5 SITTING, 6 SITTING, 7 MERCURY 8 RELAXED	ARMS AGLE FOREAR THIGHS CONFIGU	MS DOWN ELEVATED RATION		336+01 50 323+01 50 838+01 50 803+01 50 729+01 50 818+01 50	94+01 94+01 94+01 94+01 94+01 94+01 94+01	332+02 301+02 503+02 275+02 279+02 237+02 280+02 278+02	147+03 195+03 187+03 717+02 781+02 430+02 771+02 109+03	125+03 177+03 150+03 829+02 828+02 446+02 917+02 108+03	123+02 124+02 528+02 417+02 415+02 304+02 403+02 419+02
CERVIC H ILIAC H CHEST D HIP B WRIST C THIGH C SPHYRI H BIACROM D HEAD C TRICEP S	63.6 42.5 9.8 14.1 7.3 22.4 26.1 13.0 23.2 0.3	SHLDR H TROCHAN H WAIST D AXILAYM C FIST C LOWTHIGH C FOOT L HIP B SIT HEAD L BISPIN B	61.7 38.9 8.7 12.7 12.6 15.6 11.5 14.7 8.2	SUPSTERN P TIBIALE H BUTT D BICEP C CHEST C KNEE C FOUT B BUTPOP L HEAD B	1 60.4 20.9 9.1 12.9 40.7 15.3 3.9 21.1	SUBSTERN UPARM L CHEST B ELBOW C WAIST C CALF C SPAN HAND L MALX S	H 51.0 14.9 13.8 11.2 33.1 15.4 76.6 11.8 0.3	WAIST H LOWARM L WAIST B FOREARM C BUTT C ANKLE C SIT H HAND B JUXTA S	47.8 11.7 11.7 12.0 39.4 9.4 30.9 5.8 0.2

SUBJECT NUMBER 64 AGE 34.	.5 STATURE 66.1 WEIG	ынт 163 <b>.</b> 7	
POSITION	L(X) L(Y)	L(2) 1(X)	1(4) 1(5)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXEC (WEIGHTLESS)	358+01 453+01 348+01 453+01 347+01 453+01 745+01 453+01 731+01 453+01 689+01 453+01 739+01 453+01 671+01 453+01	279+02 990+02 258+02 129+03 263+02 128+03 243+02 565+02 245+02 558+02 212+02 371+02 246+02 584+02 258+02 821+02	914+02 111+02 119+03 108+02 882+02 284+02 595+02 298+02 609+02 297+02 390+02 251+02 619+02 318+02 762+02 313+02
CERVIC H 57.4 SHLDR H ILIAC H 37.2 TROCHAN H CHEST D 9.9 WAIST D HIP B 12.7 AXILARM C WRIST C 6.4 FIST C THIGH C 22.6 LOWTHIGH C SPHYRI H 2.7 FOOT L BIAKROM C 13.0 HIP B SIT HEAD C 22.6 HEAD L TRICEPS 0.4 BISPIN B	55.2 SUPSTERN H 54.4 34.1 TIBIALE H 17.8 8.6 BUTT O 10.1 14.7 BICEP C 12.8 10.6 CHEST C 42.5 15.3 KNEE C 14.3 9.4 POGT B 3.5 14.2 BUTPOP L 18.3 7.7 HEAD B 6.3 9.1	SUBSTERN H 47.2 UPARM L 13.3 CHEST B 14.6 ELBOW C 10.6 WAIST C 34.6 CALF C 14.2 SPAN 66.6 HAND L 6.7 MALX S 0.7	MAIST H 42.0 LGMARM L 9.8 MAIST B 13.0 FGREARM C 10.8 BUTT C 37.4 ANKLE C 8.5 SIT H 54.6 HAND B 3.3 JUXTA S 0.7
tweton to rost fragto to the	sest nament of lifektin in t	P-14-(350)34)	
SUBJECT NUMBER 65 AGE 29	.4 STATURE 67.1 WEI	GHT 142.9	
POSITION	L(X) L(Y)	L(Z) I(X)	1(4) 1(2)
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FGREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY COMPIGURATION 8 RELAXED (WEIGHTLESS)	341+01 415+01 333+01 415+01 320+01 415+01 604+01 415+01 741+01 415+01 740+01 415+01 724+01 415+01	293+02 926+02 270+02 126+03 272+02 124+03 254+02 534+02 261+02 555+02 222+02 332+02 259+02 540+02 267+02 789+02	884+02
CERVIC H 57.2 SHLDR H ILIAC H 38.4 TROCHAN H CHEST D 8.7 MAIST D HIP B 12.0 AXILARM C WRIST C 6.5 FIST C THIGH C 20.3 LOWTHIGH C SPHYRI H 2.6 FOOT L BIACROM D 12.8 HIP B SIT HEAD C 23.3 HEAD L TRICEP S 0.2 BISPIN B	10.3 FOOT B 3.7 13.3 BUTPOP L 19.3 8.2 HEAD B 6.3 8.3	SUBSTERN H 46.4 UPARM L 13.0 CHEST B 12.4 ELBOW C 10.2 WAIST C 30.0 CALF C 14.6 SPAN 67.4 HAND L 7.3 MALX S 0.2	WAIST H 42.9 LGMARM L 10.1 WAIST B 10.8 FGREARM C 11.0 BUTT C 35.4 ANKLE C 8.7 SIT H 34.1 HAND B 3.2 JUXTA S 0.2
(WEIGHT IN LBS, LENGTH IN INC	HES. NOMENT OF INERTIA IN I	.8=1N=(SFC)SO)	
SUBJECT NUMBER 66 AGE 31	.O STATURE 63.0 WEI	SHT 129.8	
POSITION	L(X) L(Y)	£(Z) I(X)	[[2]
1 STANDING 2 STANDING, ARMS OVER HEAD 3 SPREAD EAGLE 4 SITTING 5 SITTING, FOREARMS DOWN 6 SITTING, THIGHS ELEVATED 7 MERCURY CONFIGURATION 8 RELAXED (WEIGHTLESS)	337+01 518+01 336+01 518+01 329+01 518+01 716+01 518+01 699+01 518+01 670+01 518+01 707+01 518+01 671+01 518+01	281+02 754+02 262+02 100+03 257+02 339+02 239+02 430+02 243+02 441+02 220+02 310+02 244+02 441+02 249+02 632+02	691+02 797+01 925+02 774+01 774+02 206+02 404+02 214+02 427+02 221+02 274+02 177+02 479+02 217+02 619+02 256+02
CERVIC H 53.3 SHLDR H ILIAC H 35.8 TROCHAN H CHEST D 9.1 WAIST D HIP B . 15.1 AXILARM C WRIST C 6.1 FIST C THIGH C 20.5 LGWITHIGH C SPMYRI H 2.8 FOOT L BIACROM D 12.0 HIP B SIT HEAD C 22.5 HEAD L TRICEP S 0.5 BISPIN B	52.4 SUPSTERN H 50.3 35.5 TIBIALE H 16.0 7.8 BUTT D 9.2 11.4 BICEP C 11.5 11.2 CHEST C 36.7 15.5 KNEE C 13.9 9.4 FOOT B 3.7 13.3 BUTPOP L 16.7 8.2 HEAD B 6.0	SUBSTERN H 44.7 UPARM L 11.9 CHEST B 12.0 ELBOW C 10.0 MAIST C 30.6 CALF C 13.5 SPAN 63.5 HAND L 6.6 MALX S C.8	WAIST H 39.5 LGWARM L 9.2 WAIST B 10.6 FGREARM C 10.0 BUTT C 35.2 ANKLE C 8.3 SIT H 33.6 HAND B 3.2 JUXTA S 0.6

#### APPENDIX III

### DESCRIPTION OF ANTHROPOMETRIC DIMENSIONS

- 1. ANKLE CIRCUMFERENCE: Subject stands. Holding the tape slightly above the projections of the ankle bones, measure the minimum circumference of the right ankle (reference 7).
- 2. AXILLARY ARM CIRCUMFERENCE: Subject stands, right arm initially raised and then lowered after the tape is in place. Holding the tape in a horizontal plane and as high as possible in the armpit, measure the circumference of the upper arm (reference 7).
- 3. BIACROMIAL DIAMETER: Subject sits erect, upper arms hanging at sides and forearms extended horizontally. Using the anthropometer, measure between points marked at the ends of the shoulders (acromion to acromion) (reference 7, Appendix IV).
- 4. BICEPS CINCUMFERENCE (Extended): Subject stands with right arm extended at side. Holding the tape in a horizontal plane, measure the maximum circumference of the biceps muscle.
- 5. BISPINOUS BREADIH: Subject stands erect. Using the anthropometer measure the distance between the anterior superior spines of the ilium (most anterior bony projections of the hip bone) previously marked (Appendix IV).
- 6. BUTTOCK-POPLITEAL LEMOTH: Subject sits with knees bent at right angles. Measure the maximum horizontal distance from the point of intersection of the right angle behind the right knee (popliteal area) to the buttocks.
- 7. BUTTOCK CIRCUMFERENCE: Subject stands erect. Holding the tape in a horizontal plane, measure the circumference of the buttocks at the level of the greatest rearward protrusion (reference 7).
- 8. BUTTOCK DEPTH: Subject stands erect. Holding the anthropometer horizontally at the subject's right side, measure the depth of the buttocks at the level of the greatest rearward protrusion (reference 7).
- 9. CALF CIRCUMFERENCE: Subject stands. Holding the tape in a horizontal plane, measure the maximum circumference of the right calf (reference 7).
- 10. CERVICALE HEIGHT: Subject stands erect. Using the anthropometer, measure the vertical distance from the floor to the point marked on the bony projection (the 7th cervical vertebra) at the posterior base of the neck (reference 7).

- 11. CHEST BREADTH Subject stands erect with arms initially raised and then lowered after the anthropometer is placed. Measure the chest breadth at the level of the nipples, during normal breathing (reference 7).
- 12. CHEST CIRCUMFERENCE Subject stands erect with arms initially raised and then lowered after the tape is in place. Holding the tape in a horizontal plane at the level of the nipples, measure the maximum circumference of the chest during normal breathing (reference 7).
- 13. CHEST DEPTH Subject stands erect with arms initially raised and then lowered after the instrument is in place. Holding the anthropometer horizontally on the subject's right side, at the level of the nipples, measure the chest depth during normal breathing (reference 7).
- 14. ELBOW CIRCUMFERENCE (Extended) Subject stands with right arm extended.

  Measure the elbow circumference holding the tape over the olecranon.
- 15. FIST CIRCUMFERENCE Subject makes a tight fist with right hand, thumb lying across the end of the fist. Measure the fist circumference with tape passing over the thumb and the knuckles (reference 7).
- 16. FOOT EREADTH Subject stands with right foot in the foot box, weight equally distributed, the foot just touching the side and rear walls, and long axis of the foot parallel to the side wall. Using the scale on the base of the foot box, measure the widest breadth of the foot (reference 7).
- 17. FOOT LENGTH Subject stands with right foot in the foot box, weight equally distributed, foot just touching the side and rear walls, and long axis of the foot parallel to the side wall. Using the scale on the base of the foot box, measure the length of the foot along the long axis (reference 7).
- 18. FOREARM CIRCUMFERENCE (Extended) Subject stands, right arm extended.

  Measure the maximum circumference of the forearm with tape.
- 19. HAND BREADTH AT METACARPALE Subject extends right hand. With the bar of sliding caliper across the palm, measure the maximum breadth across the distal ends of the metacarpal bones (knuckles) (reference 7).
- 20. HAND LENGTH Subject extends right hand. With the bar of the sliding caliper lying across the palm, measure the hand length from the proximal edge of the navicular bone at the wrist to the tip of the middle finger (reference 7).
- 21. HEAD ERHADTH Using spreading calipers, measure the maximum breadth of the head in a plane perpendicular to the mid-sagittal plane (reference 7).


- 22. HEAD CIRCUMFERENCE: With tape passing above (not including) the brow ridges, measure the maximum circumference of the head (reference 7).
- 23. HEAD LENGTH: Using spreading calipers, measure the maximum length of the head from glabella to the occipital region (reference 7).
- 24. HIP EREADIH: Subject stands erect. Holding the anthropometer horizontally, measure the maximum breadth of the hips (reference 7).
- 25. HIP BREADTH, SITTING: Subject sits erect. Holding the anthropometer horizontally, measure the maximum breadth of the hips (reference 7).
- 26. ILIAC SPINE HEIGHT: Subject stands erect. Using the anthropometer measure the vertical distance from the floor to the mark of the anterior superior spine of the ilium on the right side (Appendix IV).
- 27. JUXTANIPPLE SKINFOLD: Subject stands erect. Using skinfold calipers measure the skinfold thickness just adjacent to the right nipple, along the line between the anterior crease of the axilla and the nipple. Grasp skinfold between thumb and index finger, enough to include two thicknesses of skin and subcutaneous fat but not muscle or fascia. Apply calipers 1 cm from fingers holding skinfold, and at a depth from the edge of the skinfold equal to the thickness of the fold. Skinfold thickness is taken in the vertical plane except when lines of Linn result in torsion of the skinfold, and then the skinfold is taken along these lines (reference 9).
- 28. KNEE CIRCUMFERENCE, STANDING: Subject stands. Measure the right knee circumference at the mid-patella level holding the tape in a horizontal plane.
- 29. LOWER ARM LENGTH: Subject stands with right arm extended at side.

  Using an anthropometer measure the distance along the long axis of
  the lower arm between points marked at radiale and stylion (Appendix IV).
- 30. LOWER THIGH CIRCUMFERENCE: Subject stands. Holding the tape in a horizontal plane measure the circumference of the lower thigh just above the right knee (reference 7).
- 31. MIDAXILLARY LINE, XYPHOID SKINFOLD: Subject stands erect. Using skinfold calipers measure the skinfold thickness in the mid-axillary line at the level of the xyphoid on the right side of the body. Grasp skinfold between thumb and index finger, enough to include two thicknesses of skin and subcutaneous fat but not muscle or fascia. Apply calipers 1 cm from fingers holding skinfold, and at a depth from the edge of the skinfold equal to the thickness of the fold. Skinfold thickness is taken in the vertical plane except when lines of Linn result in torsion of the skinfold, and then the skinfold is taken along these lines (reference 9).


- 32. SHOULDER HEIGHT (Acromial Height): Subject stands erect. Using the anthropometer, measure the vertical distance from the floor to the right acromion, previously marked (reference 7).
- 33. SITTING HEIGHT: Subject sits erect, head oriented in the Frankfort plane and feet resting on a surface so that knees are bent at about right angles. Using the anthropometer, measure the vertical distance from the sitting surface to the top of the head by placing the anthropometer firmly against the scalp (reference 7).
- 34. SPAN: Subject stands erect against a previously-calibrated rear wall with arms extended laterally at their maximum. With one hand touching a surface perpendicular to the rear wall, measure the maximum span by placing a block against the finger tips of the other hand (reference 7).
- 35. SPHYRION HEIGHT: Subject stands with legs slightly apart. Using measuring block measure the vertical distance from floor to sphyrion previously marked (Appendix IV).
- 36. STATURE: Subject stands erect with head oriented in the Frankfort plane. Using the anthropometer measure the vertical distance from the floor to the top of the head by placing the anthropometer firmly against the scalp (reference 7).
- 37. SUBSTERNALE HEIGHT: Subject stands erect. Using the anthropometer measure the vertical distance from the floor to a marked point at the lower edge of the breastbone (substernale) (reference 7, Appendix IV).
- 38. SUPRASTERNALE HEIGHT: Subject stands erect. Using the anthropometer, measure the vertical distance from the floor to the marked point at the upper edge of the breastbone (suprasternale)(reference 7, Appendix IV).
- 39. THICH CIRCUMFERENCE: Subject stands with legs slightly apart. Holding the tape in a horizontal plane just below the lowest point in the gluteal furrow. Measure the circumference of the right thigh (reference 7).
- 40. TIBIALE HEIGHT: Subject stands with legs slightly apart. Using the anthropometer measure the vertical distance from floor to right tibiale previously located and marked (Appendix IV).
- 41. TRICEPS SKINFOLD: Subject stands with right upper arm extended forward and elbow in 90° flexion. Mark the posterior midpoint between the tip of the acromion and olecranon. Grasp skinfold between thumb and index fingers, enough to include two thickness of skin and subcutaneous fat but not muscle or fascia. Allowing the right arm to extend straight at the side, apply calipers 1 cm from fingers holding skinfold, and at a depth from the edge of the skinfold equal to the thickness of the fold. Skinfold thickness is taken in the vertical plane except when lines of Linn result in torsion of the skinfold and then the skinfold is taken along these lines (reference 9).

- 42. TROCHANTERIC HEIGHT: Subject stands erect. Using the anthropometer measure the vertical distance from the floor to trochanterion previously marked on the right side (Appendix IV).
- 43. UPPER ARM LENGTH: Subject stands with right arm extended at side.
  Using an anthropometer measure the distance along the long axis of the
  upper arm, between the points previously marked at acromion and at
  radiale (Appendix IV).
- 44. WAIST BREADIH: Subject stands erect with abdomen relaxed. Using the anthropometer, measure the minimum horizontal distance between the points marking the most lateral indentation in the abdomenal region (reference 7).
- 45. WAIST CIRCUMFERENCE: Subject stands erect with abdomen relaxed. Using the tape, measure the minimum circumference around the abdomenal region, passing over the most lateral indentation waist points (reference 7).
- 46. WAIST DEPTH: Subject stands erect with abdomen relaxed. Holding the anthropometer horizontally on the subject's right side, measure the anterior to posterior distance of the abdomen at the level of the most lateral indentation waist points (reference 7).
- 47. WAIST HEIGHT: Subject stands erect. Using the anthropometer, measure the vertical distance from the floor to the most lateral indentation point in the abdomenal region on the right side (reference 7).
- 48. WRIST CIRCUMFERENCE: Right arm and hand extended. Passing the tape just proximal of the styloid process of the ulna, measure the minimum circumference of the wrist (reference 7).

APPENDIX IV
SKELETAL ANTHROPOMETRIC POINTS



# SKELETAL ANTHROPOMETRIC POINTS



	•		¥
Aerospace Medical Division 5570th Aerospace Medical Research Laboratories, Wright-Patterson AFB, Ohio Rpt. No. AMKL-TDR-63-36. MOMENTS OF INTRIPA AND CENTERS OF GRAVITY OF THE LIVING HUMAN BODY. Final report, May 1963, v + 62 pp, incl illus., tables, 11 refs. Unclassified report A study was conducted to determine the moments of ineria and centers of gravity of a sample of 66 living male subjects representative of the Ar Force population in stature and weight. Eight body positions were investigated: Standing; Standing, Arms Over Head; Spread Eagle; Sitting; Sitting, Forearms Down.	UNCLASSIFIED  1. Anthropology 2. Anthropometry 3. Body (Anatomy) 4. Weightlessness 5. Human Engineering I. AFSC Project 7184, Task 718408 II. Contract AF 33(657)- 7848 II. North American Aviation, Inc., Los Angeles, Cali:.	Aerospace Medical Division 5570th Aerospace Medical Research Laboratories. Wright-Patterson AFB. Ohio FRPT. No. AMRL-TDR-63-36. MOMENTS OF INERTA AND CENTERS OF GRAVITY OF THE LIVING HUMAN BODY. Final report, May 1963, v + 62 pp, incl illus., tables, 11 refs. Unclassified report A study was conducted to determine the moments of inertia and centers of gravity of a sample of 66 living male subjects representative of the Ar Force population in stature and weight. Eight body positions were investigated: Standing; Standing, Arms Over Head; Spread Eagle; Sitting; Forearms Down.	UNCLASSIFIED  1. Anthropology 2. Anthropometry 3. Body (Anatomy) 4. Weightlessness 5. Human Engineering I. AFSC Project 7184, Task 718408 II. Contract AF 33(557)- 7848 II. North American Aviation, Inc., Los Angeles, Calif.
sitting, Thighs Elevated;  Mercury Configuration; Relaxed (Weightless). The procedure was based upon the compound pendulum having a theoretical accuracy of approximately ±2 to ±8 per cent lepending upon position and axis. Orthogonal axes, defined as the intersections of the sagittal, frontal, and transverse planes through the standing body, were designated as X, Y, and Z. A set of 50 anthropometric dimensions was taken on each subject, as well as photographs of each subject in each position.  Results of the study show that the average moment of inertia varied in this sample from 11 lb. in sec. 2 about the Z axis to 152 lb. in sec. 2 about the X axis. Linear regression analysis of moments of inertia vs.	UNCLASSIFIED  IV. Santschi, W. R. DuBots, J. Omoto, C. V. in DDC collection VI. Aval fr CTS: \$1.75	sitting, Thighs Elevated:  Mercury Configuration, Relaxed (Weightless). The procedure was based upon the compound pendulum having a theoretical accuracy of approximately 12 to 18 per cent depending upon position and axis. Orthogonal axes, defined as the intersections of the sagittal, frontal, and transverse planes through the standing body, were designated as X, Y, and Z. A set of 50 anthropometric dimensions was taken on each subject, as well as photo- graphs of each subject in each position. Results of the study show that the average moment of inertia varied in this sample from 11 lb, in sec. 2 about the Z axis to 152 lb, in sec. 2 about the X axis. Linear regression analysis of moments of inertia vs. * stature and weight yielded correla- tion coefficients ranging between 0.77 and 0.98	UNCLASSIFIED  IV. Santschi, W. R. DuBois, J. Omoto, C. V. In DDC collection VI. Aval fr OTS: \$1.75

₳